




# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	<b>Siltech C-4405</b>
Product code	6289.5
Chemical Name	Mixture
CAS No.	Mixture
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified use(s)	Additive, Coatings
Uses advised against	None known
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	raj@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	<b>CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666</b>

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
	Acute Tox. 4 : Oral Skin corrosion/irritation : <b>2</b> Serious eye damage/irritation : <b>1</b>
<b>2.2 Label elements</b>	
Product Name	<b>Siltech C-4405</b>
Symbol	
Signal word(s)	<b>DANGER</b>
Hazard statement(s)	H302: Harmful if swallowed. H315: Causes skin irritation. H318: Causes serious eye damage.
Precautionary statement(s)	P262: Do not get in eyes, on skin, or on clothing. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations.

2.3 Other hazards None known

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Alcohols, C12-14- secondary ethoxylated	N/A	5 - 20	84133-50-6	None assigned	GHS05, GHS07 H302, H315, H318

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation	Remove persons affected by vapour to fresh air.
Skin Contact	Remove contaminated clothing immediately and wash affected skin with soap and water.
Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.

#### 4.2 Most important symptoms and effects, both acute and delayed

Not available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing Media

Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.
Unsuitable Extinguishing Media	None known

#### 5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

#### 5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

#### 6.4 Reference to other sections

See Section: 7 & 8.

### 7. SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.

#### 7.2 Conditions for safe storage, including any

Store in a tightly closed container.

**incompatibilities**

Storage Temperature Ambient  
 Storage Life Stable under normal conditions.  
 Incompatible materials Oxidizing agents

**7.3 Specific end use(s)** Industrial use

**8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
None assigned						

**8.1.2 Biological limit value** Not established

**8.1.3 PNECs and DNELs** Not established

**8.2 Exposure controls**

**8.2.1 Appropriate engineering controls** Provide adequate ventilation.

**8.2.2 Personal protection equipment**

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other) Wear protective clothing and gloves: (120 min break thru time)



Respiratory protection [In case of inadequate ventilation] wear respiratory protection.



Thermal hazards None.

**8.2.3 Environmental Exposure Controls** Avoid release to the environment.

**9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Appearance Opaque Liquid  
 Odour Faint.  
 Odour Threshold Not available.  
 pH Not available.  
 Melting Point/Freezing Point Not available.  
 Initial boiling point and boiling range Not available.  
 Flash point (PMCC) >100°C  
 Evaporation rate Not available.  
 Flammability (solid, gas) Not applicable.  
 Upper/lower flammability or explosive limits Not available.  
 Vapour pressure Not available.  
 Vapour density Not available.  
 Relative density / Specific Gravity (25°C) 0.98  
 Solubility(ies) Dispersible in water.  
 Partition coefficient: n-octanol/water Not available.  
 Auto-ignition temperature Not available.  
 Decomposition Temperature Not available.  
 Viscosity (25°C) > 300 000 cps

Explosive properties  
Oxidising properties

Not applicable.  
Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1	<b>Reactivity</b>	Stable under normal conditions.
10.2	<b>Chemical stability</b>	Stable under normal conditions.
10.3	<b>Possibility of hazardous reactions</b>	Will not occur.
10.4	<b>Conditions to avoid</b>	None known.
10.5	<b>Incompatible materials</b>	Oxidizing agents.
10.6	<b>Hazardous Decomposition Product(s)</b>	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	<b>Information on toxicological effects</b>	
	<b>Acute toxicity</b>	
	Ingestion	Harmful if swallowed.
	Inhalation	Low toxicity under normal conditions of handling and use.
	Skin Contact	May cause irritation
	Eye Contact	May cause irritation
	<b>Effects and Symptoms</b>	
	<b>skin corrosion/irritation</b>	Repeated and/or prolonged skin contact may cause irritation.
	<b>Serious eye damage/irritation</b>	May cause irritation to eyes and air passages.
	<b>Respiratory or skin sensitization</b>	Not classified
	<b>Germ cell mutagenicity</b>	Not classified
	<b>Carcinogenicity</b>	Not classified
	<b>Reproductive toxicity</b>	Not classified
	<b>STOT - single exposure</b>	Not classified
	<b>STOT - repeated exposure</b>	Not classified
	<b>Aspiration hazard</b>	Not classified
	<b>Delayed and chronic effects</b>	Not available
	<b>Calculated acute toxicity estimate (ATE)</b>	Not available

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b>	Not available.
12.2	<b>Persistence and degradability</b>	Not available.
12.3	<b>Bioaccumulative potential</b>	Not available.
12.4	<b>Mobility in soil</b>	Not available.
12.5	<b>Results of PBT and VPVB assessment</b>	Not available.
12.6	<b>Other adverse effects</b>	None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<b>Waste treatment methods</b>	Do not empty into drains; dispose of this material and its container in a safe way.
13.2	<b>Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

14.1	<b>DOT / TDG / Road/Rail (ADR/RID)</b>	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.
14.2	<b>Air (ICAO/IATA)</b>	Not classified as hazardous for air transport.
14.3	<b>Sea (IMDG)</b>	Not classified as hazardous for marine transport.

## 15. SECTION 15: REGULATORY INFORMATION

### 15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation Possible trace amounts of:  
( < 0.06% )  
Octamethylcyclotetrasiloxane (CAS# 556-67-2)  
Decamethylcyclopentasiloxane (CAS# 541-02-6)  
Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

Contains: Dibutyltin dilaurate (CAS# 77-58-7) < 0.0065%

### 15.3 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDL)	DSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		X		

### 15.4 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)  
NFPA Rating

**H = 1 / F = 1 / R = 0**  
**H = 1 / F = 1 / R = 0**

### 15.5 US State Regulations

15.5.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

Specific Listing(s) not required  
Possible trace amounts of:  
**Ethylene Oxide (CAS# 75-21-8) < 1 ppm**

15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required  
Possible trace amounts of:  
**Ethylene Oxide (CAS# 75-21-8) < 1 ppm**  
**Propylene Oxide (CAS# 75-56-9) < 1 ppm**  
**1,4-Dioxane (CAS# 123-91-1) < 1 ppm**  
**Formaldehyde (CAS# 50-00-0)**

15.5.3 State Right to Know Lists

Specific Listing(s) not required  
Possible trace amounts of:  
**Ethylene Oxide (CAS# 75-21-8) < 1 ppm**  
**Propylene Oxide (CAS# 75-56-9) < 1 ppm**  
**1,4-Dioxane (CAS# 123-91-1) < 1 ppm**  
**Dibutyltin dilaurate (CAS# 77-58-7) < 65 ppm**  
**Formaldehyde (CAS# 50-00-0)**

## 16. SECTION 16: OTHER INFORMATION

Revision: **October 05, 2018**

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

### References:

### Hazard statement(s) and Precautionary statement(s)

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Hazard pictogram(s) and Hazard Symbol



GHS05

GHS07

### Training advice:

### Additional Information

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.