

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silmer ACR Di-1010

Product code 2788

Chemical Name Siloxanes and Silicones, di-Me, 3-hydroxypropyl

group-terminated, diethers with polyethylene glycol

monoacrylate

CAS No. 117440-21-8

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)

An intermediate chemical product.

Additive, Coatings

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product Name Silmer ACR Di-1010

Symbol

Label elements

2.2

Repr. 1B

Signal word(s) Warning

Hazard statement(s)

H361: Suspected of damaging fertility or the unborn child.

Precautionary statement(s)

P281: Use personal protective equipment as required.

P309: P313: If expected or expectation of the protective equipment as required.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards None known

Product: Silmer ACR Di-1010 SDS #: 2788

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Dibutyltin diacetate	dibutyltin di(acetate)	0.18 - 0.19	1067-33-0	213-928-8	GHS06, GHS08, GHS05, GHS07 H314, H317, H318, H341, H360, H370, H372, H410

4. SECTION 4: FIRST AID MEASURES



Description of first aid measures

Unlikely to be required but if necessary treat symptomatically. Inhalation Skin Contact Unlikely to be required but if necessary treat symptomatically. **Eye Contact** If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

If swallowed, seek medical advice immediately and show this Ingestion

> container or label. Not available.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 emergency procedures

6.2 **Environmental precautions**

6.3 Methods and material for containment and

cleaning up

6.4 Reference to other sections

Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

Avoid release to the environment.

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents

Revision: 3 Date: 09/11/2018 Page: 2/6

Ambient

Product: Silmer ACR Di-1010 SDS #: 2788

7.3 Specific end use(s) Industrial use

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
dibutyltin di(acetate)	1067-33-0		0.1		0.2	(as Sn)

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection No personal respiratory protective equipment normally

required.

None. Thermal hazards

Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Coloured liquid (Yellow) Odour Characteristic odour. Odour Threshold Not available. Not available. Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available.

Relative density / Specific Gravity (25°C) 1.04

Solubility(ies) Dispersible in water.

Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity (25°C) 100 - 1000 cpsExplosive properties Not applicable. Oxidising properties Not applicable.

Revision: 3 Date: 09/11/2018 Page: 3/6

Product: Silmer ACR Di-1010 SDS #: 2788

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions. **Chemical stability** 10.2 Stable under normal conditions.

Possibility of hazardous reactions 10.3 Will not occur 10.4 Conditions to avoid None known. 10.5 Incompatible materials Oxidizing agents.

10.6 **Hazardous Decomposition Product(s)** Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Ingestion May be harmful if swallowed.

Inhalation Low toxicity under normal conditions of handling and use.

Skin Contact May cause irritation Eye Contact May cause irritation

Effects and Symptoms

skin corrosion/irritation Not classified Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Germ cell mutagenicity Not classified Carcinogenicity Not classified

Reproductive toxicity Suspected of damaging fertility or the unborn child.

STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** Not available. 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. 12.4 Mobility in soil Not available. 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

Additional Information 13.2 Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

> Not classified as hazardous for rail transport. Not classified as hazardous for air transport.

14.2 Air (ICAO/IATA) 14.3 Sea (IMDG) Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 **EU** regulations

REACH Registration No. Polymer exempt.

Revision: 3 Date: 09/11/2018 Page: 4/6

Product: Silmer ACR Di-1010 SDS #: 2788

Candidate List of Possible trace amounts of: (<0.1%)

Substances of Very High Octamethylcyclotetrasiloxane (CAS# 556-67-2)
Concern for Authorisation Decamethylcyclopentasiloxane (CAS# 541-02-6)

Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

Contains: dibutyltin di(acetate) (CAS#1067-33-0): 0.18 – 0.19%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

HMIS (Hazardous Material Information System) H

NFPA Rating

H=1/F=1/R=0 H=1/F=1/R=0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

Specific Listing(s) not required Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required

Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.4.3 State Right to Know Lists Specific Listing(s) not required

Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: November 09, 2018

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Revision: 3 Page: 5/6 Date: 09/11/2018

Product: Silmer ACR Di-1010 SDS #: 2788

Hazard statement(s) and Precautionary statement(s)

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H341: Suspected of causing genetic defects.

H360: May damage fertility or the unborn child.

H361: Suspected of damaging fertility or the unborn child.

H370: Causes damage to organs: Thymus.

H372: Causes damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

P281: Use personal protective equipment as required.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 3 Page: 6/6 Date: 09/11/2018