

# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

- Alternative names (INCI)
- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

**1.4 Emergency telephone number** Emergency Phone No.

### Siltech E-4135 6088

Mixture 71750-80-6 / 60828-78-6 / 7732-18-5 Amodimethicone

Additive, Surface active agent None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin Irrit. 2 Eye Dam. 1

Siltech E-4135



Danger H315: Causes skin irritation. H318: Causes serious eye damage. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical advice/attention. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations.

#### 2.3 Other hazards

None known

# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di- Me, [[[3-[(2- aminoethyl)amino]propyl]dimet hoxysilyl]oxy]-terminated	Amodimethicone	20 - 35	71750-80-6	Not applicable	H320
Poly(oxy-1,2- ethanediyl), .alpha[3,5- dimethyl-1-(2-methylpropyl) hexyl]omegahydroxy-	Polyethylene glycol mono (3,5-dimethyl-1- isobutylhexyl) ether	10 - 15	60828-78-6	612-043-8	GHS05, GHS07 H315, H318

# 4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	Unlikely to be required but if necessary treat symptomatically.
	Skin Contact	Remove contaminated clothing immediately and wash affected skin with soap and water. If skin irritation occurs, get medical advice/attention.
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. If eye irritation persists, get medical advice/attention.
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
4.2	Most important symptoms and effects, both acute and delayed	Not available.
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.

# 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

# 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2 6.3	Environmental precautions Methods and material for containment and	Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert
6.4	cleaning up Reference to other sections	absorbent material. Transfer to a container for disposal. See Section: 7 & 8.

SDS #: 6088

### 7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities

   Storage Temperature
   Storage Life
   Incompatible materials

  7.3 Specific end use(s)

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

Ambient Stable under normal conditions. Oxidizing agents Industrial use

# 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
N	lone assigned							
8.1.2	Biological limit v	alue		Not established				
8.1.3	PNECs and DNELs		Not established					
8.2 8.2.1 8.2.2	Appropriate engineering controls      Prov        2.2      Personal protection equipment      Weat        Eye/face protection      Weat			Provide adequate ventilation.				
0.2.2				Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (Hand protection/ Other)		Other)	Wear suitable gloves if prolonged skin contact is likely.				
	Respiratory protect	ction		No personal respiratory protective equipment normally required.			normally	
8.2.3	Thermal hazards Environmental E	xposure Contro	bls	None. Avoid release to the e	nvironmer	ıt.		

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties	
	Appearance	Colourless liquid.
	Odour	Faint.
	Odour Threshold	Not available.
	рН	5.0 - 6.0
	Melting Point/Freezing Point	Not available.
	Initial boiling point and boiling range	>100°C @ 760mmHg
	Flash point (PMCC)	>100°C
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not applicable.
	Upper/lower flammability or explosive limits	Not available.
	Vapour pressure	Not available.
	Vapour density	Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

#### Product: Siltech E-4135

Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties

# 1.00 Dispersible in water. Not available. Not available. 200 – 1000 cps Not applicable. Not applicable.

# **10. SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

# 11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects Acute toxicity Ingestion Inhalation Skin Contact
  - Eye Contact Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard

**Delayed and chronic effects** 

Low toxicity under normal conditions of handling and use. Low toxicity under normal conditions of handling and use. Causes skin irritation. Causes serious eye damage.

Causes skin irritation. Causes serious eye damage. Not classified Not available Not available

### **12. SECTION 12: ECOLOGICAL INFORMATION**

Calculated acute toxicity estimate (ATE)

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available. Not available. Not available. Not available. Not available. None known

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- 13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

SDS #: 6088

### **14. SECTION 14: TRANSPORT INFORMATION**

- 14.1 DOT / TDG / Road/Rail (ADR/RID)
- 14.2 Air (ICAO/IATA)
- 14.3 Sea (IMDG)

Not classified as hazardous for road transport. Not classified as hazardous for rail transport. Not classified as hazardous for air transport. Not classified as hazardous for marine transport.

### **15. SECTION 15: REGULATORY INFORMATION**

#### 15.1 EU regulations

Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation

**REACH Registration No.** 

Possible trace amounts of: (<0.1%) Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

#### 15.3 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	$\checkmark$			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			$\checkmark$	
Australia (AICS)	$\checkmark$			
China (IECSC)	$\checkmark$			
Japan (ENCS)	~			
South Korea (KECI)	~			
Taiwan (TCSI)	$\checkmark$			
New Zealand (NZIoC)	$\checkmark$			
Philippines (PICCS)	$\checkmark$			

### 15.4 National regulations

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

### 15.5 US State Regulations

- **15.5.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.5.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.5.3 State Right to Know Lists

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1 / F = 1 / R = 0H = 1 / F = 1 / R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

# **16. SECTION 16: OTHER INFORMATION**

Revision: November 26, 2018

# LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

# Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H318: Causes serious eye damage.

H320: Causes eye irritation.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

#### Hazard pictogram(s) and Hazard Symbol



#### **Additional Information**

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.