




# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	<b>Siltech E-2220</b>
Product code	6257
Chemical Name	Mixture
CAS No.	67762-90-7 / 7732-18-5 / 24938-91-8 / 78330-20-8
Alternative names (INCI)	Simethicone
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified use(s)	Anti-foamer (defoamer)
Uses advised against	None known
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	raj@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	<b>CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666</b>

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
	<b>Acute Tox. 4 - Oral Eye Dam. 1</b>
<b>2.2 Label elements</b>	
Product Name	<b>Siltech E-2220</b>
Symbol	
Signal word(s)	Danger
Hazard statement(s)	H302: Harmful if swallowed. H318: Causes serious eye damage.
Precautionary statement(s)	P262: Do not get in eyes, on skin, or on clothing. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local

- 2.3 Other hazards Regulations.  
None known

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Polyethylene glycol monotridecyl ether	tridecyl alcohol ethoxylate	2 - 5	24938-91-8	607-463-3	GHS05, GHS07 H302, H318
Alcohols, C9-11-iso-, C10-rich, ethoxylated	isodecyl alcohol ethoxylate	1 - 3	78330-20-8	616-607-4	GHS05, GHS07 H302, H318

### 4. SECTION 4: FIRST AID MEASURES



- 4.1 Description of first aid measures**
- Inhalation  
Skin Contact  
Eye Contact  
Ingestion
- Unlikely to be required but if necessary treat symptomatically.  
Remove contaminated clothing immediately and wash affected skin with soap and water.  
If substance has got into the eyes, immediately wash out with plenty of water for several minutes.  
If swallowed, seek medical advice immediately and show this container or label.
- 4.2 Most important symptoms and effects, both acute and delayed** Not available.
- 4.3 Indication of any immediate medical attention and special treatment needed** Unlikely to be required but if necessary treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Extinguishing Media**
- Suitable Extinguishing Media  
Unsuitable Extinguishing Media
- In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.  
None known
- 5.2 Special hazards arising from the substance or mixture** Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
- 5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- 6.2 Environmental precautions** Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up** Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
- 6.4 Reference to other sections** See Section: 7 & 8.

### 7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

- 7.2 Conditions for safe storage, including any incompatibilities**  
 Storage Temperature: chemicals are applicable.  
 Storage Life: Store in a tightly closed container.  
 Incompatible materials: Ambient  
 Stable under normal conditions.
- 7.3 Specific end use(s)**  
 Industrial use: Oxidizing agents

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
None assigned						

#### 8.1.2 Biological limit value

Not established

#### 8.1.3 PNECs and DNELs

Not established

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Provide adequate ventilation.

#### 8.2.2 Personal protection equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection



No personal respiratory protective equipment normally required.

Thermal hazards

None.

#### 8.2.3 Environmental Exposure Controls

Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance

Liquid, Opaque

Odour

Perceptible odour.

Odour Threshold

Not available.

pH

7.0 – 8.0

Melting Point/Freezing Point

Not available.

Initial boiling point and boiling range

>100°C @ 760mmHg

Flash point (PMCC)

>100°C

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density / Specific Gravity (25°C)

1.00

Solubility(ies)

Dispersible in water.

Partition coefficient: n-octanol/water

Not available.

Auto-ignition temperature

Not available.

Decomposition Temperature	Not available.
Viscosity (25°C)	1000 - 2000 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	Will not occur.
<b>10.4 Conditions to avoid</b>	None known.
<b>10.5 Incompatible materials</b>	Oxidizing agents.
<b>10.6 Hazardous Decomposition Product(s)</b>	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>Acute toxicity</b>	
Ingestion	May be harmful if swallowed.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	None anticipated
Eye Contact	Causes serious eye damage.
<b>Effects and Symptoms</b>	
<b>skin corrosion/irritation</b>	Not classified
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Respiratory or skin sensitization</b>	Not classified
<b>Germ cell mutagenicity</b>	Not classified
<b>Carcinogenicity</b>	Not classified
<b>Reproductive toxicity</b>	Not classified
<b>STOT - single exposure</b>	Not classified
<b>STOT - repeated exposure</b>	Not classified
<b>Aspiration hazard</b>	Not classified
<b>Delayed and chronic effects</b>	Not available
<b>Calculated acute toxicity estimate (ATE)</b>	Not available

## 12. SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	Not available.
<b>12.2 Persistence and degradability</b>	Not available.
<b>12.3 Bioaccumulative potential</b>	Not available.
<b>12.4 Mobility in soil</b>	Not available.
<b>12.5 Results of PBT and VPVB assessment</b>	Not available.
<b>12.6 Other adverse effects</b>	None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	Do not empty into drains; dispose of this material and its container in a safe way.
<b>13.2 Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

<b>14.1 DOT / TDG / Road/Rail (ADR/RID)</b>	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.
<b>14.2 Air (ICAO/IATA)</b>	Not classified as hazardous for air transport.
<b>14.3 Sea (IMDG)</b>	Not classified as hazardous for marine transport.

## 15. SECTION 15: REGULATORY INFORMATION

### 15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation Possible trace amounts of: (<0.005%)  
Octamethylcyclotetrasiloxane (CAS# 556-67-2)  
Decamethylcyclopentasiloxane (CAS# 541-02-6)  
Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

### 15.3 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	DSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

### 15.4 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)  
NFPA Rating

**H = 1 / F = 0 / R = 0**  
**H = 1 / F = 0 / R = 0**

### 15.5 US State Regulations

15.5.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

Specific Listing(s) not required  
Possible trace amounts of:  
**Ethylene Oxide (CAS# 75-21-8) < 1 ppm**

15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required  
Possible trace amounts of:  
**Ethylene Oxide (CAS# 75-21-8) < 1 ppm**  
**1,4-Dioxane (CAS# 123-91-1) < 1 ppm**

15.5.3 State Right to Know Lists

Specific Listing(s) not required  
Possible trace amounts of:  
**Ethylene Oxide (CAS# 75-21-8) < 1 ppm**  
**1,4-Dioxane (CAS# 123-91-1) < 1 ppm**

## 16. SECTION 16: OTHER INFORMATION

Revision: **October 10, 2018**

### LEGEND

LTEL Long Term Exposure Limit  
STEL Short Term Exposure Limit  
STOT Specific Target Organ Toxicity  
DNEL Derived No Effect Level

Product: **Siltech E-2220**

SDS #: **6257**

PNEC Predicted No Effect Concentration  
PBT Persistent, Bioaccumulative and Toxic  
vPvB very Persistent and very Bioaccumulative

**References:**

**Hazard statement(s) and Precautionary statement(s)**

H302: Harmful if swallowed.

H318: Causes serious eye damage.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Hazard pictogram(s) and Hazard Symbol**



**Training advice:**

**Additional Information**

**Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.