

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No. Silmer G-220 B

6972.43 Mixture 25550-51-0 / 34090-76-1

intermediate use None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol

> Signal word(s) Hazard statement(s)

Precautionary statement(s)

Eye Dam. 1 Skin Sens. 1 Resp. Sens. 1

Silmer G-220 B



DANGER

H318: Causes serious eye damage.
H317: May cause an allergic skin reaction.
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P285: In case of inadequate ventilation wear respiratory protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical

advice/attention.
P363: Wash contaminated clothing before reuse.
P304+P341: IF INHALED: If breathing is difficult, remove
victim to fresh air and keep at rest in a position comfortable
for breathing.
P342+P311: If experiencing respiratory symptoms: Call a
POISON CENTER/doctor.
P501: Dispose of contents/container to: Observe Local
Regulations.
None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

					Hazard pictogram(s) and
Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard statement(s)
Hexahydromethylphthalic	MHHPA	90 - 100	25550-51-0	247-094-1	GHS08, GHS05
anhydride					H318, H317, H334
Methyltetrahydrophthalic	4-MTHPA	< 10	34090-76-1	251-823-9	GHS08, GHS05
Anhydride					H318, H317, H334
1-methylimidazole		< 0.5	616-47-7	210-484-7	GHS05, GHS07
1-methylimidazole					H302, H312, H314, H318

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention. If breathing is difficult give oxygen. If person is not breathing, call 999 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation develops and persists, get medical attention.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
	Ingestion	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Get medical attention immediately.
4.2	Most important symptoms and effects, both acute and delayed	May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
4.3	Indication of any immediate medical attention and special treatment needed	No information available.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if
		exposed to fire.
	Unsuitable Extinguishing Media	Do not use water jet.
5.2	Special hazards arising from the substance or mixture	No information available.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

Product: Silmer G-220 B

SDS #: 6972.43

6.	SECTION 6: ACCIDENTAL RELEASE MEA	SURES
6.1 6.2 6.3 6.4	Personal precautions, protective equipment and emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.
7.	SECTION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.2	Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials	Store in a tightly closed container. Keep away from heat and light. Ambient Stable under normal conditions. Oxidizing agents
7.3	Specific end use(s)	Industrial use
8.	SECTION 8: EXPOSURE CONTROLS/PER	SONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

					-			
			LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL		
-	SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note	
N	lone assigned							
8.1.2	Biological limit v	alue		Not established				
8.1.3	PNECs and DNE	Ls		Not established				
8.2	Exposure contro	ls						
8.2.1	Appropriate engineering controls			Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures.				
8.2.2	Personal protect	ion equipment						
	Eye/face protection	on		Safety spectacles/gog	gles/full fa	ice shield.		
	Skin protection (H	land protection/	Other)	Wear impervious gloves (EN374).				
	Man			Nitrile rubber, Polyethylene, PVC				
				Wear suitable protective clothing.				
	Respiratory protect	ction		Use NIOSH approved	respirator	y protection.		
	Thermal hazards			None.				
8.2.3	Environmental E	xposure Contro	ols	Avoid release to the e	nvironmer	nt.		

Product: Silmer G-220 B

SDS #: 6972.43

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (20°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Colourless to yellowish liquid. Characteristic odour. Not available. Not available. 10°C Not available. 149°C Not available. Not applicable. Not available. Not available. Not available. 1 17 Reacts with water. Not available. Not available. Not available. 100 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Reacts with water.

Oxidizing agents. Alcohols, Acids, Alkaline, Water Carbon oxides may be formed. (>220°C)

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity Ingestion Inhalation Skin Contact Eye Contact

> Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization

Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE) LD50 (oral,rat) mg/kg: >2000 LD50 (dermal) mg/kg: > 2000 Not classified. Causes serious eye damage.

Not classified Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

12.2 Persistence and degradability

Not available. Not available. Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer G-220 B

- 12.3 **Bioaccumulative potential**
- Mobility in soil 12.4
- **Results of PBT and VPVB assessment** 12.5
- Other adverse effects 12.6

Not available. Not available. None known

Not available.

13. SECTION 13: DISPOSAL CONSIDERATIONS

- Waste treatment methods 13.1
- 13.2 **Additional Information**

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

- DOT / TDG / Road/Rail (ADR/RID) 14.1
- 14.2 Air (ICAO/IATA)
- 14.3 Sea (IMDG)

Not classified as hazardous for road transport. Not classified as hazardous for rail transport. Not classified as hazardous for air transport. Not classified as hazardous for marine transport.

Not Polymer

15. SECTION 15: REGULATORY INFORMATION

EU regulations 15.1 **REACH Registration No.**

Not available.

Candidate List of Substances of Very High Hexahydromethylphthalic anhydride (CAS# 25550-51-0): 90 - 100% Concern for Authorisation

15.2 International Inventories

		NOT	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	\checkmark			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)		Х		
China (IECSC)	\checkmark			
Japan (ENCS)	~			
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)	\checkmark			
Philippines (PICCS)	\checkmark			

Т

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System) H = 3 / F = 1 / R = 1NFPA Rating H = 3/F = 1/R = 1**US State Regulations** 15.4.1 SUBSTANCES KNOWN TO THE STATE OF

15.4

- CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.4.3 State Right to Know Lists

None known.

None known.

None known.

Product: Silmer G-220 B

SDS #: 6972.43

16. SECTION 16: OTHER INFORMATION

Revision: November 28, 2018

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

- H318: Causes serious eye damage.
- H317: May cause an allergic skin reaction.
- H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272: Contaminated work clothing should not be allowed out of the workplace.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P285: In case of inadequate ventilation wear respiratory protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.