



SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name **Siltech C-204**
Product code 2872.1
Chemical Name Mixture
CAS No. 68937-54-2 / 34590-94-8
- 1.2 Recommended use of the chemical and restrictions on use**
Identified use(s) Coatings, Surface active agent, Additive
Uses advised against None known
- 1.3 Details of the supplier of the Safety Data Sheet**
Company Identification Siltech Corp
225 Wicksteed Ave
Toronto, ON Canada M4H 1G5
Telephone +1-416-424-4567
Fax +1-416-424-3158
E-Mail (competent person) raj@siltech.com
- Additional Location Siltech Corp
3265 Wolfedale Road,
Mississauga ON Canada L5C 1V8
Telephone +1-905-270-5534
Fax +1-905-270-5816
- 1.4 Emergency telephone number**
Emergency Phone No. **CANUTECH - TELEPHONE: EMERGENCY USE ONLY
+1-613-996-6666**

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture** **Flammable Liquid Category 4**
- 2.2 Label elements**
Product Name **Siltech C-204**
Symbol NONE
Signal word(s) Warning
Hazard statement(s) H227: Combustible liquid.
Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to: Observe Local Regulations.
- 2.3 Other hazards** None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
(2-methoxymethyl-ethoxy)propanol	DPGME	45 - 55	34590-94-8	252-104-2	H227

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact

IF ON SKIN: Wash with plenty of water.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media

None known

5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.

7.2 Conditions for safe storage, including any incompatibilities

Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Storage Temperature

Ambient

Storage Life

Stable under normal conditions.

Incompatible materials

Oxidizing agents

7.3 Specific end use(s)




Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
DPGME	34590-94-8	100	600	150		

8.1.2 Biological limit value	Not established
8.1.3 PNECs and DNELs	Not established
8.2 Exposure controls	
8.2.1 Appropriate engineering controls	Provide adequate ventilation.
8.2.2 Personal protection equipment	
Eye/face protection	Wear protective eyewear (goggles, face shield, or safety glasses).
	
Skin protection (Hand protection/ Other)	Wear suitable gloves if prolonged skin contact is likely. Plastic or rubber gloves.
	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
	
Thermal hazards	None.
8.2.3 Environmental Exposure Controls	Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties	
Appearance	Colourless to yellowish liquid.
Odour	Characteristic odour.
Odour Threshold	Not available.
pH	Not available.
Melting Point/Freezing Point	Not available.
Initial boiling point and boiling range	>100°C @ 760mmHg
Flash point (PMCC)	74°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density / Specific Gravity (25°C)	0.99
Solubility(ies)	Dispersible in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	207°C
Decomposition Temperature	Not available.
Viscosity (25°C)	20 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion	Low toxicity under normal conditions of handling and use.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	May cause irritation
Eye Contact	May cause irritation

Effects and Symptoms

skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms.
12.2 Persistence and degradability	This substance is predicted to degrade in soil and water.
12.3 Bioaccumulative potential	The substance has low potential for bioaccumulation.
12.4 Mobility in soil	The substance is predicted to have low mobility in soil.
12.5 Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2 Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 Air (ICAO/IATA)	Not classified as hazardous for air transport.
14.2 Sea (IMDG)	Not classified as hazardous for marine transport.
14.3 TDG / Road/Rail (ADR/RID)	Not classified as hazardous for transport.
14.4 DOT / CFR (US Department of Transportation)	(Applicable only to containers > 119 gallons or 450L)
UN number	1993
DOT Proper Shipping Name	Combustible Liquid, N.O.S. (DIPROPYLENE GLYCOL METHYL ETHER Solution)
Class	3 Packing group III

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No.	Polymer exempt / Not available
Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: (<0.01%) Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDL)	DSL✓			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)
NFPA Rating

H = 1 / F = 2 / R = 0
H = 1 / F = 2 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 1 ppm
1,4-Dioxane (CAS# 123-91-1) < 1 ppm
DPGME (CAS# 34590-94-8) 45 – 55%

15.4.3 State Right to Know Lists

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 1 ppm
1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: **December 05, 2018**

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level
PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol

NONE

Training advice:

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.