




# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	<b>Silmer Q12 IDD</b>
Product code	7050.717
Chemical Name	Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc.
CAS No.	68988-56-7 / 13475-82-6
Alternative names (INCI)	Trimethylsiloxysilicate (and) Isododecane
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified use(s)	PC39 Cosmetics, personal care products Additive, Coatings, intermediate use
Uses advised against	Not available
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	raj@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road Mississauga, ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	<b>CANUTECH - TELEPHONE: EMERGENCY USE ONLY</b> <b>+1-613-996-6666</b>

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
	<b>Flam. Liq. 3</b> <b>Asp. Tox. 1</b>
<b>2.2 Label elements</b>	
Product Name	<b>Silmer Q12 IDD</b>
Symbol	
Signal word(s)	<b>DANGER</b>
Hazard statement(s)	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H413: May cause long lasting harmful effects to aquatic life.
Precautionary statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331: Do NOT induce vomiting.  
P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P403+P235: Store in a well-ventilated place. Keep cool.  
P501: Dispose of contents/container to: Observe Local Regulations.  
None known

2.3 Other hazards

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2,2,4,6,6-pentamethylheptane	Isododecane	25 - 45	13475-82-6	236-757-0	GHS02, GHS08 H226 , H304, H413

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

#### 5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate all ignition sources if safe to do so.

#### 6.2 Environmental precautions

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

#### 6.4 Reference to other sections

See Section: 7 & 8.





## 7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
- 7.2 Conditions for safe storage, including any incompatibilities** Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Storage Temperature Ambient  
 Storage Life Stable under normal conditions.  
 Incompatible materials Oxidizing agents
- 7.3 Specific end use(s)** Industrial use

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**  
**8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
None assigned						

- 8.1.2 Biological limit value** Not established
- 8.1.3 PNECs and DNELs** Not established
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Provide adequate ventilation.
- 8.2.2 Personal protection equipment**
- Eye/face protection  Wear protective eyewear (goggles, face shield, or safety glasses).
- Skin protection (Hand protection/ Other)  Wear suitable gloves if prolonged skin contact is likely.
- Respiratory protection  Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved.
- Thermal hazards  Flammable liquid
- 8.2.3 Environmental Exposure Controls** Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties**
- Appearance Colourless liquid.  
 Odour Characteristic  
 Odour Threshold Not available.  
 pH Not available.  
 Melting Point/Freezing Point Not available.  
 Initial boiling point and boiling range >100°C @ 760 mmHg  
 Flash point (PMCC) 45°C  
 Evaporation rate Not available.  
 Flammability (solid, gas) Not applicable.  
 Upper/lower flammability or explosive limits Not available.

Vapour pressure	Not available.
Vapour density	Not available.
Relative density / Specific Gravity (25°C)	Not available.
Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	10 - 40 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	Will not occur.
<b>10.4 Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>10.5 Incompatible materials</b>	Oxidizing agents.
<b>10.6 Hazardous Decomposition Product(s)</b>	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>Acute toxicity</b>	
Ingestion	Harmful if swallowed.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	May cause irritation
Eye Contact	May cause irritation
<b>Effects and Symptoms</b>	
<b>skin corrosion/irritation</b>	Repeated and/or prolonged skin contact may cause irritation.
<b>Serious eye damage/irritation</b>	Not classified
<b>Respiratory or skin sensitization</b>	Not classified
<b>Germ cell mutagenicity</b>	Not classified
<b>Carcinogenicity</b>	Not classified
<b>Reproductive toxicity</b>	Not classified
<b>STOT - single exposure</b>	Not classified
<b>STOT - repeated exposure</b>	Not classified
<b>Aspiration hazard</b>	Not classified
<b>Delayed and chronic effects</b>	Not available.
<b>Calculated acute toxicity estimate (ATE)</b>	Not available.

## 12. SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	May cause long lasting harmful effects to aquatic life.
<b>12.2 Persistence and degradability</b>	Not available.
<b>12.3 Bioaccumulative potential</b>	Not available.
<b>12.4 Mobility in soil</b>	Not available.
<b>12.5 Results of PBT and VPVB assessment</b>	Not available.
<b>12.6 Other adverse effects</b>	None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	Do not empty into drains; dispose of this material and its container in a safe way.
<b>13.2 Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	2286
14.2	UN Proper Shipping Name	Pentamethylheptane Solution
14.3	Transport hazard class(es)	3
14.4	Packing Group	III
14.5	Environmental hazards	None



## 15. SECTION 15: REGULATORY INFORMATION

### 15.1 EU regulations

REACH Registration No. Polymer exempt / 01-2119490725-29-0000

Candidate List of Substances of Very High Concern for Authorisation None known.

### 15.3 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDL)	✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

### 15.4 National regulations

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System) H = 1 / F = 2 / R = 0

NFPA Rating H = 1 / F = 2 / R = 0

### 15.5 US State Regulations

15.5.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM None known.

15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER None known.

15.5.3 State Right to Know Lists None known.

## 16. SECTION 16: OTHER INFORMATION

Revision: December 20, 2018

### References:

#### Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H413: May cause long lasting harmful effects to aquatic life.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

**Hazard pictogram(s)**



**Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.