




# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	<b>Siltech E-2152</b>
Product code	6080.2
Chemical Name	Mixture
CAS No.	70131-67-8 / 2943-75-1 / 60828-78-6 / 7732-18-5
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified use(s)	Coatings Additive intermediate use
Uses advised against	None known
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	raj@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	<b>CANUTECH - TELEPHONE: EMERGENCY USE ONLY</b> <b>+1-613-996-6666</b>

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
	<b>Skin Irrit. 2</b> <b>Eye Dam. 1</b> <b>Skin Sens. 1</b> <b>Repr. 1B</b>
<b>2.2 Label elements</b>	
Product Name	<b>Siltech E-2152</b>
Symbol	
Signal word(s)	Danger
Hazard statement(s)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H360FD: May damage fertility. May damage the unborn child.
Precautionary statement(s)	P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER/doctor.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P363: Wash contaminated clothing before reuse.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P501: Dispose of contents/container to: Observe Local Regulations.  
None known

**2.3 Other hazards**

**3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Mixtures**

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2-ethanediyl), .alpha.-[3,5-dimethyl-1-(2-methylpropyl) hexyl]-.omega.-hydroxy-	Polyethylene glycol mono (3,5-dimethyl-1-isobutylhexyl) ether	7 - 9	60828-78-6	612-043-8	GHS05 H315, H318
Triethoxyoctylsilane	Octyltriethoxy-silane	6 - 8	2943-75-1	220-941-2	GHS07 : H315
Dibutyltin dilaurate	DBTDL	0.64	77-58-7	201-039-8	GHS05, GHS08, GHS07, GHS09 H302, H314, H317, H341, H360FD, H370, H372, H400,
2-bromo-2-nitropropane-1,3-diol	bronopol	0.016 – 0.018	52-51-7	200-143-0	GHS09, GHS05, GHS07 H302, H312, H315, H318, H335, H400
5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-isothiazolone	CMIT/MIT	0.002 – 0.0025	55965-84-9	611-341-5	GHS09, GHS05, GHS06 H301, H311, H314, H317, H331, H400, H410

**4. SECTION 4: FIRST AID MEASURES**



**4.1 Description of first aid measures**

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain immediate medical attention.

Ingestion

If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Causes serious eye damage. Repeated and/or prolonged contact may cause skin sensitisation.

- 4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## 5. SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Extinguishing Media**  
Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.  
Unsuitable Extinguishing Media None known
- 5.2 Special hazards arising from the substance or mixture** Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
- 5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- 6.2 Environmental precautions** Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up** Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
- 6.4 Reference to other sections** See Section: 7 & 8.


## 7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
- 7.2 Conditions for safe storage, including any incompatibilities**  
Storage Temperature Ambient  
Storage Life Stable under normal conditions.  
Incompatible materials Oxidizing agents
- 7.3 Specific end use(s)** Industrial use

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**  
**8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Dibutyltin dilaurate	77-58-7		0.1		0.2	(as Sn)

- 8.1.2 Biological limit value** Not established
- 8.1.3 PNECs and DNELs** Not established
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Provide adequate ventilation.
- 8.2.2 Personal protection equipment**  
Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).
-   
Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection

In case of inadequate ventilation wear respiratory protection.



Thermal hazards

None.

**8.2.3 Environmental Exposure Controls**

Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Liquid Opaque (Milky white)
Odour	Faint.
Odour Threshold	Not available.
pH	6.0 – 8.0
Melting Point/Freezing Point	Not available.
Initial boiling point and boiling range	>100°C @ 760mmHg
Flash point (PMCC)	>200°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density / Specific Gravity (25°C)	1.00
Solubility(ies)	Dispersible in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	Not available.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled.
Skin Contact	May disturb the skin.
Eye Contact	Causes serious eye damage.

#### Effects and Symptoms

skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

<b>Reproductive toxicity</b>	May damage fertility or the unborn child.
<b>STOT - single exposure</b>	Not classified
<b>STOT - repeated exposure</b>	Not classified
<b>Aspiration hazard</b>	Not classified
<b>Delayed and chronic effects</b>	Not available
<b>Calculated acute toxicity estimate (ATE)</b>	Not available

## 12. SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	Not available.
<b>12.2 Persistence and degradability</b>	Not available.
<b>12.3 Bioaccumulative potential</b>	Not available.
<b>12.4 Mobility in soil</b>	Not available.
<b>12.5 Results of PBT and VPVB assessment</b>	Not available.
<b>12.6 Other adverse effects</b>	None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	Do not empty into drains; dispose of this material and its container in a safe way.
<b>13.2 Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

<b>14.1 DOT / TDG / Road/Rail (ADR/RID)</b>	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.
<b>14.2 Air (ICAO/IATA)</b>	Not classified as hazardous for air transport.
<b>14.3 Sea (IMDG)</b>	Not classified as hazardous for marine transport.

## 15. SECTION 15: REGULATORY INFORMATION

<b>15.1 EU regulations</b>	
REACH Registration No.	Polymer exempt / Not available
Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: (<0.1%) Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)
Contains:	Dibutyltin dilaurate (CAS# 77-58-7) 0.64% 2-bromo-2-nitropropane-1,3-diol (CAS# 52-51-7) 0.016 – 0.018% 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (CAS# 55965-84-9) 0.002 – 0.0025%

### 15.3 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	DSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

### 15.4 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)  
NFPA Rating

**H = 1 / F = 1 / R = 0**  
**H = 1 / F = 1 / R = 0**

### 15.5 US State Regulations

- 15.5.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM None known.
- 15.5.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER None known.
- 15.5.3** State Right to Know Lists None known.

## 16. SECTION 16: OTHER INFORMATION

Revision: **January 14, 2019**

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

### Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H360FD: May damage fertility. May damage the unborn child.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

### Hazard pictogram(s) and Hazard Symbol



**GHS05**

**GHS08**

**GHS07**

### Additional Information

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.