

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No.

1.2 Recommended use of the chemical and restrictions on use Identified use(s)

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet Company Identification

> Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Siltech E-4080

6087 Mixture 235432-88-9 / 60828-78-6 / 68891-38-3 / 7732-18-5

Coatings Additive None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements Product Name Symbol Eye Irrit. 2 Skin Sens. 1



Signal word(s) Hazard statement(s)

Precautionary statement(s)

Warning H317: May cause an allergic skin reaction. H320: Causes eye irritation. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash bands and exposed skin thoroughly after

P264: Wash hands and exposed skin thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical

SDS #: 6087

advice/attention. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2- ethanediyl), .alpha -[3,5-dimethyl-1-(2- methylpropyl) hexyl]- .omegahydroxy-	Polyethylene glycol mono (3,5-dimethyl-1- isobutylhexyl) ether	1 – 2.999	60828-78-6	612-043-8	GHS05 H315, H318
2-bromo-2-nitropropane- 1,3-diol	bronopol	0.016 – 0.018	52-51-7	200-143-0	GHS09, GHS05,GHS07 H302, H312, H315, H318, H335, H400
5-Chloro-2-methyl-3(2H)- isothiazolone mixt. with 2- methyl-3(2H)- isothiazolone	CMIT/MIT	0.002 – 0.0025	55965-84-9	611-341-5	GHS09, GHS05, GHS06 H301, H311, H314, H317, H331, H400, H410

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures			
	Inhalation	IF INHALED: Remove person to fresh air and keep comfortable		
		for breathing.		
	Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated		
		clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.		
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes.		
		Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or		
		persists.		
	Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.		
4.2	Most important symptoms and effects, both acute and delayed	Causes eye irritation. Repeated and/or prolonged contact may cause skin sensitisation.		
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.		

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

SDS #: 6087

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
6.2	Environmental precautions	Avoid release to the environment.
6.3	Methods and material for containment and	Caution - spillages may be slippery. Cover spills with inert
	cleaning up	absorbent material. Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Store in a tightly closed container.

7.2 Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials 7.3 Specific end use(s)

Ambient Stable under normal conditions. Oxidizing agents Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- **Control parameters** 8.1
- **Occupational Exposure Limits** 8.1.1

	SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
	None known							
8.1.2	Biological limit v	alue		Not established				
8.1.3	PNECs and DNE	Ls		Not established				
8.2 8.2.1 8.2.2	1 Appropriate engineering controls			Provide adequate ventilation. Wear protective eyewear (goggles, face shield, or safety glasses).				
	Skin protection (Hand protection/ Other)		Wear suitable gloves if prolonged skin contact is likely.					
	Respiratory protect	ction		In case of inadequate	ventilatior	n wear respirat	ory protectior	

None. 8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance Odour

Thermal hazards

Odour Threshold

Liquid Opaque (Milky white) Faint. Not available.

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech E-4080

Hа Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

7.0 - 8.5 Not available. >100°C @ 760mmHg >200°C Not available. Not applicable. Not available. Not available. Not available. 1.00 Dispersible in water. Not available. Not available. Not available. 50 - 500 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

SDS #: 6087

11. SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects Acute toxicity Ingestion Inhalation Skin Contact Eye Contact
 - Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects Calculated acute toxicity estimate (ATE)

May be harmful if swallowed. May be harmful if inhaled. May disturb the skin. Causes eye irritation.

Not classified Causes eye irritation. May cause sensitization by skin contact. Not classified Not classified Not classified Not classified Not classified Not classified Not available Not available

12. SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

Not available. Not available. Not available. Not available. Not available. None known

13. S	3. SECTION 13: DISPOSAL CONSIDERATIONS					
13.1	Waste treatment methods		Do not empty into drains; dispose of this material and its container in a safe way.			
13.2	Additional Information		Dispose of contents in accordance with local, state or national legislation.			
14. S	ECTION 14: TRANSPO	RT INFORMATIO	N			
14.1	DOT / TDG / Road/Rail (ADF	R/RID)	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.			
14.2	Air (ICAO/IATA)		Not classified as hazardous for air transport.			
14.3	Sea (IMDG)		Not classified as hazardous for marine transport.			
15. S	ECTION 15: REGULAT	ORY INFORMAT	ION			
15.1	EU regulations REACH Registration No.	Polymer exempt.				

Candidate List of Substances of Very High Concern for Authorisation	Possible trace amounts of: (<0.1%) Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)
Contains:	2-bromo-2-nitropropane-1,3-diol (CAS# 52-51-7) 0.016 – 0.018% 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (CAS# 55965-84-9) 0.002 – 0.0025%

15.3 International Inventories

_		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Х		
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			\checkmark	
Australia (AICS)	\checkmark			
China (IECSC)	\checkmark			
Japan (ENCS)		Х		
South Korea (KECI)	\checkmark			
Taiwan (TCSI)	\checkmark			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

TSCA Inventory Status : All chemicals in this product comply

15.4 **National regulations**

United States (TSCA)

with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). Personal Care exempt. HMIS (Hazardous Material Information System) H = 1 / F = 0 / R = 0

H = 1 / F = 0 / R = 0

15.5 **US State Regulations**

NFPA Rating

- 15.5.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER
- 15.5.3 State Right to Know Lists

None known.

None known.

None known.

SDS #: 6087

16. SECTION 16: OTHER INFORMATION

Revision: January 16, 2019

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.