

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silmer OH ACR C50

Product code 5656

Chemical Name
Siloxanes and Silicones, di-Me, 3-[2-hydroxy-3[(1-oxo-2-propen-1-yl)oxy]propoxy]propyl Me

CAS No. 193486-79-2

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s)

An intermediate chemical product.

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.2 Label elements

Product Name Symbol Skin sensitisation, category 1B

Silmer OH ACR C50



Signal word(s) Warning

Hazard statement(s) H317: May cause an allergic skin reaction.

Precautionary statement(s)

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards

None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di-Me, 3-[2-hydroxy-3-[(1-oxo-2- propenyl)oxy] propoxy]propyl Me		>99	193486-79-2	Not applicable	GHS07 : H317

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with plenty of water. Seek medical attention if irritation

persists.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes. Seek medical attention if

irritation persists.

Ingestion If swallowed, seek medical advice immediately and show this

Not available.

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical Unlikely to be required but if necessary treat symptomatically.

attention and special treatment needed

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear impervious gloves

(EN374).

6.2 Environmental precautionsAvoid release to the environment.

6.3 Methods and material for containment and

cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

7.2 Conditions for safe storage, including anyStore in a tightly closed container.

Revision: 5 Page: 2/6 Date: 29/08/2019

incompatibilities

Storage Temperature Ambient

Storage Life Stable under normal conditions.

Incompatible materials

Oxidizing agents

7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
Chromium (III) Acetate	1066-30-4		0.5			as Cr

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other) Wear impervious gloves (EN374).

Respiratory protection No personal respiratory protective equipment normally

required.



Thermal hazards None.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Viscosity (25°C)

Appearance Coloured liquid. (Greenish)
Odour Characteristic odour.

Odour Threshold Not available. рΗ Not available. Melting Point/Freezing Point Not available. Initial boiling point and boiling range Not available. Flash point (PMCC) >100°C Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available. Relative density / Specific Gravity (25°C) Not available. Solubility(ies) Not available. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available.

Revision: 5 Page: 3/6 Date: 29/08/2019

700 cps

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silmer OH ACR C50 SDS #: 5656.6

Explosive properties Not applicable.

Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity under normal conditions of handling and use.

InhalationMay cause irritation.Skin ContactMay cause irritation.Eye ContactMay cause irritation.

Effects and Symptoms

 skin corrosion/irritation
 Not classified

 Serious eye damage/irritation
 Not classified

Respiratory or skin sensitization Repeated and/or prolonged contact may cause skin

sensitisation.

Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Toxicity 12.1 Not available. 12.2 Persistence and degradability Not available. 12.3 Bioaccumulative potential Not available. 12.4 Mobility in soil Not available. 12.5 Results of PBT and VPVB assessment Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA) Not classified as hazardous for air transport.

14.3 Sea (IMDG) Not classified as hazardous for marine transport.

Revision: 5 Page: 4/6 Date: 29/08/2019

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern

for Authorisation

Possible trace amounts of: (<0.1%)

Octamethylcyclotetrasiloxane (CAS# 556-67-2) Decamethylcyclopentasiloxane (CAS# 541-02-6) Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

Contains: Chromium (III) Acetate (CAS#1066-30-4) < 0.08%

15.3 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	✓			Confidential
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)		Х		
China (IECSC)		Х		
Japan (ENCS)		Х		
South Korea (KECI)		Χ		
Taiwan (TCSI)		X		
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.4 National regulations

TSCA (Toxic Substance Control Act)

TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules). ACCESSION # 117205

HMIS (Hazardous Material Information System)

NFPA Rating

H=1/F=1/R=0 H=1/F=1/R=0

15.5 US State Regulations

15.5.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.5.3 State Right to Know Lists

None known.

None known.

Chromium (III) Acetate (CAS#1066-30-4) < 0.08%

16. SECTION 16: OTHER INFORMATION

Revision: August 29, 2019

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Revision: 5 Page: 5/6 Date: 29/08/2019

Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 Page: 6/6 Date: 29/08/2019