



SILTECH CORPORATION
225 Wicksteed Avenue
Toronto, Ontario, Canada, M4H 1G5
(416)424-4567 (Tel) (416)424-3158 (Fax)

TECHNICAL DATA SHEET

Silquat® J2-8B-HG
Multifunctional Emulsifier

Distearmonium/Diethonium Chloride PG Dimethicone

DESCRIPTION

Silquat® J2-8B-HG is a novel silicone emulsifier and conditioner. The unique structure and weak cationic charge results in a molecule that provides not only excellent emulsification properties, but conditioning effects on hair and skin. **Silquat J2-8B-HG** is PEG free and 70% active in propylene glycol. The INCI name is Distearmonium/Diethonium Chloride PG Dimethicone.

TYPICAL PROPERTIES

	Silquat J2-8B-HG
Appearance	Hazy liquid
Color, Gardner	1
Active Content, %	70
Viscosity at 25°C, cps	8,000
Experimental HLB	5

USES & APPLICATIONS

Silquat J2-8B-HG is a member of a series of products which differ by the relative weight percent of hydrophilic, lipophilic and "siliphilic" regions in the molecules. **Silquat J2-8B-HG** is the most hydrophilic and has a laboratory determined HLB of 5.

We have found **Silquat J2-8B-HG** emulsifier effective in hair care for conditioning providing extraordinary wet comb and dry comb as well as unique lubricity, antistatic properties and smoothness to the hair fibres. The use level is 0.5% ~ 1%.

We have also made skin care products with **Silquat J2-8B-HG** which provide the skin with a smooth powdery after-feel, extraordinary softness, unique lubricity and substantivity. Use levels are 0.5% ~ 1%.

Silquat J2-8B-HG is a unique cationic Oil-in-Water emulsifier for skin care, hair care, and sun care and make-up products. These cationic emulsions offer a rich smooth powdery after-feel that allows high active loadings without sacrificing efficacy. The use level is 3% ~ 5%.

Silquat J2-8B-HG cationic emulsifier can be also used as a conditioning agent in combination with a non-ionic organic or a silicone emulsifier to impart unique sensory properties such as rich non-greasy, luxurious, very soft, smooth powdery dry feel and smooth powdery velvety skin feel. The use level is 3% ~ 4%.

Silquat® J2-8B-HG enables high lipophilic, high SPF and highly concentrated pigmented products for skin care, sun care and make-up. These products offer

enhanced consumer benefits such as a non-greasy feel and better coverage and with good spreadability and superior skin feel.

Silquat J2-8B-HG masks the negative sensory properties of high lipophilic loading in skin moisturizers with specific aesthetics, giving the final products a very soft smooth powdery skin feel and an improved long lasting moisturizing effect.

SOLUBILITY

	Solvent	Silquat J2-8B-HG	
	Water	1%	Dispersible
		5%	Insoluble
Hydro-carbons	Mineral Oils	1%	Soluble
		5%	Soluble
	Isododecane	1%	Soluble
		5%	Soluble
	Isoparaffin	1%	Soluble
		5%	Soluble
Esters	C8/C10 Triglycerides	1%	Soluble
		5%	Soluble
	Isopropyl Myristate	1%	Soluble
		5%	Soluble
	Trioctyldodecyl Citrate	1%	Soluble
		5%	Soluble
	C12-15 alkyl benzoate	1%	Soluble
		5%	Soluble
Ethers	PPG-14 Butyl Ether	1%	Soluble
		5%	Soluble
	Dicaprylyl Ether	1%	Soluble
		5%	Soluble

	Solvent	Silquat J2-8B-HG		
Silicones	Cyclomethicone (D5)	1%	Dispersible	
		5%	Insoluble	
	Dimethicone	1%	Dispersible	
		5%	Dispersible	
	Phenyl Trimethicone	1%	Soluble	
		5%	Soluble	
	Trimethyl-siloxysilicate	1%	Dispersible	
		5%	Dispersible	
Natural Oils	Olive oil	1%	Soluble	
		5%	Soluble	
	Sunflower oil	1%	Soluble	
		5%	Soluble	
	Castor oil	1%	Soluble	
		5%	Soluble	
Alcohols	Octyl-dodecanol	1%	Soluble	
		5%	Soluble	
	Isopropanol	1%	Soluble	
		5%	Soluble	
	Ethanol	1%	Soluble	
		5%	Soluble	
	Glycols	Glycerin	1%	Soluble
			5%	Soluble
Propylene Glycol		1%	Soluble	
		5%	Soluble	
Butylene Glycol		1%	Soluble	
		5%	Soluble	
Hexylene Glycol		1%	Soluble	
		5%	Soluble	

SAFETY

Before handling, read the Material Safety Data Sheet and container label for safe use, physical and health hazard information.

STORAGE AND SHELF LIFE

When stored between 10 and 40°C, **Silquat® J2-8B-HG** has a shelf life of 36 months from the date of manufacture.

PACKAGING

Silquat J2-8B-HG is supplied in 20kg pails and 200kg drums.

LEGAL DISCLAIMER

Siltech Corporation believes that the information in this technical data sheet is an accurate description of the typical uses of the product. Siltech Corporation, however, disclaims any liability for incidental or consequential damages, which may result from the use of the product that are beyond its control. Therefore, it is the user’s responsibility to thoroughly test the product in their particular application to determine its performance, efficacy and safety. Nothing contained herein is to be considered as

permission or a recommendation to infringe any patent or any other intellectual property right.

Silquat[®] is a registered trademark of Siltech Corporation, Toronto, Ontario, Canada.

©June 2018