

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier 1.1

> **Product Name** Silwax A02 Product code 5000.3

Chemical Name 3-ethyl-1,1,1,3,5,5,5-heptamethyltrisiloxane CAS No.

17861-60-8

Alternative names (INCI) ETHYL TRISILOXANE

1.2 Recommended use of the chemical and

restrictions on use Identified use(s)

PC39 Cosmetics, personal care products Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp 225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

Telephone +1-416-424-4567 Fax +1-416-424-3158 E-Mail (competent person) raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

+1-905-270-5534 Telephone Fax +1-905-270-5816

Emergency telephone number 1.4

Emergency Phone No. **CANUTECH - TELEPHONE: EMERGENCY USE ONLY**

+1-613-996-6666

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Label elements 2.2

Product Name Symbol

Flam. Liq. 3

Silwax A02



Signal word(s) Hazard statement(s) Precautionary statement(s)

WARNING

H226: Flammable liquid and vapour.

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof

electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools.

P243: Take precautionary measures against static

discharge.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: approved waste

disposal facility.

Product: Silwax A02 SDS #: 5000.3

2.3 Other hazards None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

					Hazard pictogram(s) and	
Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard statement(s)	
Trisiloxane, 3-ethyl-	ETHYL	> 99	17861-60-8	469-070-1	GHS02, H226	
1,1,1,3,5,5,5-heptamethyl-	TRISILOXANE					

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

Not available.

container or label. Do not induce vomiting.

4.2 Most important symptoms and effects, both

acute and delayed

4.3 Indication of any immediate medical IF exposed or concerned: Get medical advice/attention. Treat

attention and special treatment needed symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction.

Unsuitable Extinguishing Media None known.

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions. Water spray

should be used to cool containers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and Eliminate all ignition sources if safe to do so. Avoid contact **emergency procedures** with skin, eyes or clothing. Use personal protective

equipment as required.

6.2 Environmental precautions Avoid release to the environment.

6.3 Methods and material for containment and Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Ground/bond container and receiving equipment. Use only

non-sparking tools. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are

applicable.

7.2 Conditions for safe storage, including any

incompatibilities

Keep container tightly closed, in a cool, well ventilated place. Keep away from heat, hot surfaces, sparks, open

Revision: 2 Page: 2/6 Date: 30/12/2019

Product: Silwax A02 SDS #: 5000.3

flames and other ignition sources. No smoking.

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Keep/store away from: Oxidizing agents.

7.3 Specific end use(s)

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None known						

Not established 8.1.2 Biological limit value

8.1.3 PNECs and DNELs Not established

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Use with local exhaust ventilation.

8.2.2 Personal protection equipment

> Eye/face protection Wear protective eyewear (goggles, face shield, or safety

> > glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely

Respiratory protection Wear suitable respiratory protective equipment if processing

involves working in areas where dusts or vapours are likely

to be evolved.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Colourless liquid. Odour Characteristic odour. Odour Threshold Not available. рΗ Not available. Melting Point/Freezing Point Not available.

Initial boiling point and boiling range >100°C @ 760mmHg

Flash point (PMCC) 45°C

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available. Vapour pressure Not available. Vapour density Not available. Relative density / Specific Gravity (25°C) Not available. Insoluble in water. Solubility(ies) Partition coefficient: n-octanol/water Not available.

Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity (25°C) 1 cps

Explosive properties Not applicable.

Page: 3/6 Revision: 2 Date: 30/12/2019

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Silwax A02 SDS #: 5000.3

Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Will not occur.

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

10.5 Incompatible materials Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion May be harmful if swallowed and enters airways.

Inhalation May be harmful if inhaled.
Skin Contact May cause irritation
Eye Contact May cause irritation

Effects and Symptoms

skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified Aspiration hazard Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not available. 12.2 Persistence and degradability Not available. 12.3 Bioaccumulative potential Not available. 12.4 Mobility in soil Not available. Results of PBT and VPVB assessment 12.5 Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number 1993

14.2 Proper Shipping Name FLAMMABLE LIQUIDS N.O.S.

(3-Ethylheptamethyltrisiloxane)

14.3 Class 3 Packing group III



Product: Silwax A02 SDS #: 5000.3

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. 01-0000019685-59-0002

Candidate List of Substances of Very High Concern None known.

for Authorisation

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)		Х		
European Union (EINECS/ELINCS)	✓			
Australia (AICS)	✓			
China (IECSC)		Х		
Japan (ENCS)		X		
South Korea (KECI)		Х		
Taiwan (TCSI)	✓			
New Zealand (NZIoC)		Х		
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA) TSCA Inventory Status : All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules). Personal care exempt

HMIS (Hazardous Material Information System)

NFPA Rating

H=1/F=2/R=0 H=1/F=2/R=0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR

OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

None known.

None known.

15.4.3 State Right to Know Lists None known.

16. SECTION 16: OTHER INFORMATION

Revision: December 30, 2019

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Revision: 2 Page: 5/6 Date: 30/12/2019

Product: Silwax A02 SDS #: 5000.3

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 2 Page: 6/6 Date: 30/12/2019