




# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	<b>Silmer OH ACR Di-50</b>
Product code	5880.15
Chemical Name	Siloxanes and Silicones, di-Me, 3-[2-(hydroxy-3-[(1-oxo-2-propenyl)oxy]propoxy]propyl group-terminated
CAS No.	125455-52-9
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified use(s)	An intermediate chemical product.
Uses advised against	None known
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	raj@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	<b>CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666</b>

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	<b>Skin sensitisation, category 1B</b>
<b>2.2 Label elements</b>	
Product Name	<b>Silmer OH ACR Di-50</b>
Symbol	
Signal word(s)	Warning
Hazard statement(s)	H317: May cause an allergic skin reaction.
Precautionary statement(s)	P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P363: Wash contaminated clothing before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations.
<b>2.3 Other hazards</b>	None known

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Siloxanes and Silicones, di-Me, 3-[2-(hydroxy-3-[(1-oxo-2-propenyl)oxy]propoxy)propyl group-terminated	---	>99	125455-52-9	Not applicable	GHS07 : H317

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation  
Skin Contact

Remove persons affected by vapour to fresh air.  
Remove contaminated clothing immediately and wash affected skin with plenty of water. Seek medical attention if irritation persists.

Eye Contact

If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Seek medical attention if irritation persists.

Ingestion

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Not available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing Media

Suitable Extinguishing Media

In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media

None known

#### 5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

#### 5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

#### 6.4 Reference to other sections

See Section: 7 & 8.

### 7. SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Wear impervious gloves (EN374).

#### 7.2 Conditions for safe storage, including any

Store in a tightly closed container.

**incompatibilities**

Storage Temperature Ambient  
Storage Life Stable under normal conditions.  
Incompatible materials Oxidizing agents

**7.3 Specific end use(s)** Industrial use

**8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Chromium (III) Acetate	1066-30-4		0.5			as Cr

**8.1.2 Biological limit value** Not established

**8.1.3 PNECs and DNELs** Not established

**8.2 Exposure controls**

**8.2.1 Appropriate engineering controls** Provide adequate ventilation.

**8.2.2 Personal protection equipment**

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other) Wear impervious gloves (EN374).



Respiratory protection No personal respiratory protective equipment normally required.



Thermal hazards None.

**8.2.3 Environmental Exposure Controls** Avoid release to the environment.

**9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Appearance Coloured liquid.  
Odour Characteristic odour.  
Odour Threshold Not available.  
pH Not available.  
Melting Point/Freezing Point Not available.  
Initial boiling point and boiling range Not available.  
Flash point (PMCC) >100°C  
Evaporation rate Not available.  
Flammability (solid, gas) Not applicable.  
Upper/lower flammability or explosive limits Not available.  
Vapour pressure Not available.  
Vapour density Not available.  
Relative density / Specific Gravity (25°C) Not available.  
Solubility(ies) Not available.  
Partition coefficient: n-octanol/water Not available.  
Auto-ignition temperature Not available.  
Decomposition Temperature Not available.  
Viscosity (25°C) 200 cps

Explosive properties	Not applicable.
Oxidising properties	Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Will not occur.
10.4	Conditions to avoid	None known.
10.5	Incompatible materials	Oxidizing agents.
10.6	Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	<b>Acute toxicity</b>	
	Ingestion	Low toxicity under normal conditions of handling and use.
	Inhalation	May cause irritation.
	Skin Contact	May cause irritation.
	Eye Contact	May cause irritation.
	<b>Effects and Symptoms</b>	
	skin corrosion/irritation	Not classified
	Serious eye damage/irritation	Not classified
	Respiratory or skin sensitization	Repeated and/or prolonged contact may cause skin sensitisation.
	<b>Germ cell mutagenicity</b>	Not classified
	<b>Carcinogenicity</b>	Not classified
	<b>Reproductive toxicity</b>	Not classified
	STOT - single exposure	Not classified
	STOT - repeated exposure	Not classified
	Aspiration hazard	Not classified
	Delayed and chronic effects	Not available
	Calculated acute toxicity estimate (ATE)	Not available

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not available.
12.2	Persistence and degradability	Not available.
12.3	Bioaccumulative potential	Not available.
12.4	Mobility in soil	Not available.
12.5	Results of PBT and VPVB assessment	Not available.
12.6	Other adverse effects	None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.
14.2	Air (ICAO/IATA)	Not classified as hazardous for air transport.
14.3	Sea (IMDG)	Not classified as hazardous for marine transport.

## 15. SECTION 15: REGULATORY INFORMATION

### 15.1 EU regulations

REACH Registration No.

Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of: < 0.1%

Octamethylcyclotetrasiloxane (CAS# 556-67-2)

Decamethylcyclopentasiloxane (CAS# 541-02-6)

Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

Contains:

Chromium (III) Acetate (CAS#1066-30-4) < 0.09%

### 15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)		X		*
Canada (DSL/NDSL)		X		
European Union (EINECS/ELINCS)			✓	
Australia (AICS)		X		
China (IECSC)	✓			
Japan (ENCS)		X		
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		X		

### 15.3 National regulations

HMIS (Hazardous Material Information System)

H = 1 / F = 1 / R = 0

NFPA Rating

H = 1 / F = 1 / R = 0

### 15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

None known.

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

None known.

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Chromium (III) Acetate (CAS#1066-30-4) < 0.09%

## 16. SECTION 16: OTHER INFORMATION

Revision: January 21, 2020

### LEGEND

LTEL Long Term Exposure Limit

STEL Short Term Exposure Limit

STOT Specific Target Organ Toxicity

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT Persistent, Bioaccumulative and Toxic

vPvB very Persistent and very Bioaccumulative

### Hazard statement(s) and Precautionary statement(s)

H317: May cause an allergic skin reaction.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

**Hazard pictogram(s) and Hazard Symbol**



**Additional Information**

**Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.