

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Product code Chemical Name CAS No. Alternative names **(INCI)**

- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- 1.3 Details of the supplier of the Safety Data Sheet Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No.

Silmer G-162A

6970.2 Mixture 541-02-6 / 156065-02-0 / 200074-76-6 Cyclopentasiloxane (and) Dimethicone / Vinyl Dimethicone Crosspolymer (and) Behenyl Dimethicone/ Bis-Vinyldimethicone Crosspolymer

PC39 Cosmetics, personal care products None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid Category 4 2.2 Label elements Product Name Silmer G-162A Symbol NONE Signal word(s) Warning Hazard statement(s) H227: Combustible liquid. Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local Regulations.

2.3 Other hazards

Vapour may create explosive atmosphere.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

| Hazardous ingredient(s) | Synonym(s) | %W/W | CAS No. | EC No. | Hazard pictogram(s) and Hazard statement(s) |
|------------------------------|------------|---------|----------|-----------|--|
| Decamethylcyclopentasiloxane | D5 | 80 - 95 | 541-02-6 | 208-764-9 | H227 |
| Octamethylcyclotetrasiloxane | D4 | < 0.1 | 556-67-2 | 209-136-7 | GHS02, GHS08, GHS09 H226, H361f, H411 |

4. SECTION 4: FIRST AID MEASURES



| 4.1 4.2 4.3 | Skin Contact Eye Contact Ingestion Most important symptoms and effects, both acute and delayed Indication of any immediate medical attention and special treatment needed | Unlikely to be required but if necessary treat symptomatically. Unlikely to be required but if necessary treat symptomatically. If substance has got into the eyes, immediately wash out with plenty of water for several minutes. If swallowed, seek medical advice immediately and show this container or label. Not available. Unlikely to be required but if necessary treat symptomatically. | | |
|--------------------------|--|--|--|--|
| 5. | SECTION 5: FIRE-FIGHTING MEASURE | S | | |
| 5.1 5.2 | Extinguishing Media Suitable Extinguishing Media Unsuitable Extinguishing Media Special hazards arising from the substance or | | | |
| 5.3 | mixture Advice for fire-fighters | compounds, formaldehyde. A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. | | |
| 6. | SECTION 6: ACCIDENTAL RELEASE M | EASURES | | |
| | | | | |
| 6.1 6.2 6.3 6.4 | Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections | | | |
| 6.2 6.3 6.4 | Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8. | | |
| 6.2 6.3 6.4 | Personal precautions, protective equipment ar emergency procedures Environmental precautions Methods and material for containment and cleaning up Reference to other sections | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid release to the environment. Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8. | | |

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

| | | LTEL (8 hr TWA | LTEL (8 hr TWA | STEL | STEL | |
|---------------|---------|----------------|----------------|-------|---------|------|
| SUBSTANCE | CAS No. | ppm) | mg/m³) | (ppm) | (mg/m³) | Note |
| None assigned | | | | | | |

| | | ve. Toronto, ON Canada M4H 1G5 | |
|-----------------------|---|--|----------------|
| Produ | ct: Silmer 162A | www.siltech.com | SDS #: 6970.2 |
| 8.1.2 | Biological limit value | Not established | |
| 8.1.3 | PNECs and DNELs | Not established | |
| 8.2 8.2.1 8.2.2 | Exposure controls Appropriate engineering controls Personal protection equipment Eye/face protection | Provide adequate ventilation. Wear protective eyewear (goggles, face shi glasses). | eld, or safety |
| | Skin protection (Hand protection/ Other) | Wear suitable gloves if prolonged skin conta | act is likely. |
| | Respiratory protection | No personal respiratory protective equipme required. | nt normally |

Thermal hazards

8.2.3 Environmental Exposure Controls

None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC) Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity (25°C) Explosive properties Oxidising properties

Gel (Colourless) Faint. Not available. Not available. Not available. 210°C @ 760mmHg 77°C < 1 Not applicable. Not available. 0.015 kPa Not available. Not available. Insoluble in water. Not available. Not available. Not available. 300,000 - 800.000 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde. Product: Silmer 162A

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Acute toxicity | |
|--|---|
| Ingestion | Low toxicity expected under normal conditions of use. |
| Inhalation | Low toxicity expected under normal conditions of use. |
| Skin Contact | None anticipated |
| Eye Contact | None anticipated |
| Effects and Symptoms | |
| skin corrosion/irritation | Not classified |
| Serious eye damage/irritation | Mild irritant to rabbit eyes. |
| Respiratory or skin sensitization | Not classified |
| Germ cell mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Not classified |
| STOT - single exposure | Not classified |
| STOT - repeated exposure | Not classified |
| Aspiration hazard | Not classified |
| Delayed and chronic effects | Not available |
| Calculated acute toxicity estimate (ATE) | Not available |
| | Ingestion Inhalation Skin Contact Eye Contact Effects and Symptoms skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure STOT - repeated exposure Aspiration hazard Delayed and chronic effects |

Not available.

Not available.

Not available.

Not available.

None known

12. SECTION 12: ECOLOGICAL INFORMATION

| 12.1 | Toxicity |
|------|----------|
|------|----------|

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and VPVB assessment
- 12.6 Other adverse effects

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

13.2 Additional Information

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of contents in accordance with local, state or national legislation.

Identified as a vPvB according to REACH Annex XIII.

14. SECTION 14: TRANSPORT INFORMATION

TDG / Road/Rail (ADR/RID) 14.1 Not classified as dangerous for transport. 14.2 Air (ICAO/IATA) Not classified as hazardous for air transport. 14.3 Sea (IMDG) Not classified as hazardous for marine transport. DOT / CFR (US Department of Transportation) 14.4 (Applicable only to containers > 119 gallons or 450 L) DOT Proper Shipping Name Combustible liquid, N.O.S. (Decamethylcyclopentasiloxane solution) 3 Packing group III Class **UN** number 1993

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Candidate List of Substances of Very High Concern for Authorisation

vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative PBT: Persistent, Bioaccumulative and Toxic Decamethylcyclopentasiloxane (CAS# 541-02-6) 80 - 95%Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Product: Silmer 162A

15.2 International Inventories

| Country | Listed | Not listed | Polymer exempt | Other |
|--------------------------------|--------|---------------|-------------------|-------|
| United States (TSCA) | | Х | | |
| Canada (DSL/NDSL) | | Х | | |
| European Union (EINECS/ELINCS) | ~ | | \checkmark | |
| Australia (AICS) | | Х | | |
| China (IECSC) | ~ | | | |
| Japan (ENCS) | | Х | | |
| South Korea (KECI) | | Х | | |
| Taiwan (TCSI) | | Х | | |
| New Zealand (NZIoC) | | Х | | |
| Philippines (PICCS) | | Х | | |
| | | | | |

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). **Personal care exempt** H = 1 / F = 2 / R = 0

SDS #: 6970.2

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- 15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

H = 1 / F = 2 / R = 0

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: January 31, 2020

LEGEND

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit
- STOT Specific Target Organ Toxicity
- DNEL Derived No Effect Level
- PNEC Predicted No Effect Concentration
- PBT Persistent, Bioaccumulative and Toxic
- vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.