

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Silmer G-162Q

Product code 6970.3 Chemical Name Mixture

CAS No. 541-02-6 / 156065-02-0 / 68988-56-7

Alternative names (INCI) Cyclopentasiloxane (and) Dimethicone / Vinyl Dimethicone

Crosspolymer (and) Trimethylsiloxysilicate

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) PC39 Cosmetics, personal care products

Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid Category 4

2.2 Label elements

Product Name Silmer G-162Q Symbol NONE

Signal word(s) Warning

Hazard statement(s) H227: Combustible liquid.

Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents/container to: Observe Local

Regulations.

2.3 Other hazards Vapour may create explosive atmosphere.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Decamethylcyclopentasiloxane	D5	80 - 95	541-02-6	208-764-9	H227
Octamethylcyclotetrasiloxane	D4	< 0.1	556-67-2	209-136-7	GHS02, GHS08, GHS09 H226, H361f, H411

Product: Silmer 162Q SDS #: 6970.3

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

> Inhalation Unlikely to be required but if necessary treat symptomatically. Skin Contact Unlikely to be required but if necessary treat symptomatically. Eye Contact If substance has got into the eyes, immediately wash out with

> > plenty of water for several minutes.

Ingestion If swallowed, seek medical advice immediately and show this

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

> Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

> > for extinction. Keep containers cool by spraying with water if

exposed to fire. None known

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Avoid contact with skin, eyes or clothing. Use personal emergency procedures protective equipment as required.

6.2 **Environmental precautions** Avoid release to the environment.

6.3 Methods and material for containment and

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. cleaning up

6.4 Reference to other sections See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

> only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Oxidizing agents Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 **Occupational Exposure Limits**

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None assigned						

Revision: 3 Page: 2/5 Date: 31/01/2020 Product: Silmer 162Q SDS #: 6970.3

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection No personal respiratory protective equipment normally

required.



Thermal hazards None.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Gel (Colourless)

Odour Faint.

Odour Threshold Not available.

pH Not available.

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range 210°C @ 760mmHg

Flash point (PMCC) 77°C Evaporation rate < 1

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Relative density / Specific Gravity (25°C)

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Not applicable.

Not available.

Not available.

Not available.

Not available.

Auto-ignition temperature

Not available.

Decomposition Temperature

Not available.

Not available.

Viscosity (25°C) 300,000 – 800.000 cps

Explosive properties Not applicable. Oxidising properties Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

Product: **Silmer 162Q** SDS #: **6970.3**

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low toxicity expected under normal conditions of use.

Low toxicity expected under normal conditions of use.

Low toxicity expected under normal conditions of use.

Skin Contact None anticipated Eye Contact None anticipated

Effects and Symptoms

skin corrosion/irritation Not classified

Serious eye damage/irritation Mild irritant to rabbit eyes.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT - single exposure Not classified STOT - repeated exposure Not classified **Aspiration hazard** Not classified Delayed and chronic effects Not available Calculated acute toxicity estimate (ATE) Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Not available.12.2 Persistence and degradability Not available.

12.3 Bioaccumulative potential Identified as a vPvB according to REACH Annex XIII.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

13.2 Additional Information Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 TDG / Road/Rail (ADR/RID) Not classified as dangerous for transport.

14.2 Air (ICAO/IATA)
 14.3 Sea (IMDG)
 Not classified as hazardous for air transport.
 Not classified as hazardous for marine transport.

14.4 DOT / CFR (US Department of Transportation)

DOT Proper Shipping Name Combustible liquid

(Applicable only to containers > 119 gallons or 450 L)
Combustible liquid, N.O.S. (Decamethylcyclopentasiloxane

solution)

Class 3 Packing group III

UN number 1993

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Candidate List of Substances of Very High Concern for Authorisation

vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative PBT: Persistent. Bioaccumulative and Toxic Decamethylcyclopentasiloxane (CAS# 541-02-6) 80 – 95% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1% Product: Silmer 162Q SDS #: 6970.3

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)		Χ		
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)		Х		
China (IECSC)	✓			
Japan (ENCS)		X		
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)

TSCA Inventory Status: All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5

(Inventory Rules). Personal care exempt

HMIS (Hazardous Material Information System)

NFPA Rating

H = 1 / F = 2 / R = 0 H = 1 / F = 2 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER

15.4.3 State Right to Know Lists

None known.

None known.

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: January 31, 2020

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235: Store in a well-ventilated place. Keep cool.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 3 Page: 5/5 Date: 31/01/2020