

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier
 - Product Name Product code Chemical Name CAS No.
- 1.2 Recommended use of the chemical and restrictions on use Identified use(s) Uses advised against
- **1.3 Details of the supplier of the Safety Data Sheet** Company Identification

Telephone Fax E-Mail (competent person)

Additional Location

Telephone Fax

1.4 Emergency telephone number Emergency Phone No. Siltech C-4445 6289.2 Mixture Mixture

Additive, Coatings None known

Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5 +1-416-424-4567 +1-416-424-3158 raj@siltech.com

Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8 +1-905-270-5534 +1-905-270-5816

CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.2 Label elements Product Name Symbol

Signal word(s) Hazard statement(s)

Precautionary statement(s)

Skin corrosion/irritation : 2 Serious eye damage/irritation : 1 Skin sensitization : 1 Reproductive toxicity : 2

Siltech C-4445



DANGER

H315: Causes skin irritation.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H361f: Suspected of damaging fertility.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P332+P313: If skin irritation occurs: Get medical

advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water

SDS #: 6289.2

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to: Observe Local Regulations. None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

					Hazard pictogram(s) and
Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard statement(s)
Alcohols, C12-14-	N/A	5 - 20	84133-50-6	None	GHS05, GHS07
secondary ethoxylated	thoxylated N/A 5-20 84133-		04133-30-0	assigned	H302, H315, H318
Octamethylcyclotetra-	Octamethylcyclotetra- D4 0.1 – 0.24 556-67-2		209-136-7	GHS02, GHS08	
siloxane D4 0.1 - 0.24 556-67-2		203-130-7	H226, H361f, H410		
2-methyl-2H-isothiazol-3-		0.004 –			GHS09, GHS05, GHS06
,	MIT	0.004 -	2682-20-4	220-239-6	H301, H311, H314, H317,
one		0.005			H330, H400, H410
1,2-benzisothiazol-3(2H)-		0.004 -			GHS09, GHS05, GHS07
one	BIT	0.004 -	2634-33-5	220-120-9	H302, H315, H317, H318,
one					H400

4. SECTION 4: FIRST AID MEASURES



4.1

4.2

4.3

Description of first aid measures	
Inhalation	Remove persons affected by vapour to fresh air.
Skin Contact	Remove contaminated clothing immediately and wash affected skin with soap and water.
Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
Most important symptoms and effects, both acute and delayed	Not available.

Unlikely to be required but if necessary treat symptomatically.

attention and special treatment needed 5. SECTION 5: FIRE-FIGHTING MEASURES

Indication of any immediate medical

5.1	Extinguishing Media	
	Suitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2
		for extinction. Keep containers cool by spraying with water if exposed to fire.
	Unsuitable Extinguishing Media	None known
5.2	Special hazards arising from the substance or mixture	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and	Avoid contact with skin, eyes or clothing.	Use personal
	emergency procedures	protective equipment as required.	
6.2	Environmental precautions	Avoid release to the environment.	

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech C-4445

- 6.3 Methods and material for containment and cleaning up
- 6.4 Reference to other sections

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal. See Section: 7 & 8.

SDS #: 6289.2

7. SECTION 7: HANDLING AND STORAGE 7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. 7.2 Conditions for safe storage, including any Store in a tightly closed container. incompatibilities Storage Temperature Ambient Storage Life Stable under normal conditions. Incompatible materials Oxidizing agents 7.3 Specific end use(s) Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None known						

8.1.2	Biological limit value	Not established
8.1.3	PNECs and DNELs	Not established
8.2 8.2.1 8.2.2	Exposure controls Appropriate engineering controls Personal protection equipment Eye/face protection	Provide adequate ventilation. Wear protective eyewear (goggles, face shield, or safety glasses).
	Skin protection (Hand protection/ Other)	Wear protective clothing and gloves: (120 min break thru time)
	Respiratory protection	In case of inadequate ventilation wear respiratory protection.
8.2.3	Thermal hazards Environmental Exposure Controls	None. Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties Appearance Odour Odour Threshold pH Melting Point/Freezing Point Initial boiling point and boiling range Flash point (PMCC)

Opaque Liquid Faint. Not available. Not available. Not available. >100°C

Product: Siltech C-4445

- Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density / Specific Gravity (25°C) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity (25°C) Explosive properties Oxidising properties
- Not available. Not applicable. Not available. Not available. 0.98 Dispersible in water. Not available. Not available. Not available. 500,000 cps Not applicable. Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Will not occur. None known. Oxidizing agents. Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	
Ingestion	Harmful if swallowed.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	May cause irritation
Eye Contact	May cause irritation
Effects and Symptoms	
skin corrosion/irritation	Repeated and/or prolonged skin contact may cause irritation.
Serious eye damage/irritation	May cause irritation to eyes and air passages.
Respiratory or skin sensitization	Repeated and/or prolonged contact may cause skin sensitisation.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Suspected of damaging fertility.
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

Not available. 12.1 Toxicity 12.2 Persistence and degradability Not available. 12.3 **Bioaccumulative potential** Not available. 12.4 Mobility in soil Not available. **Results of PBT and VPVB assessment** 12.5 Not available. 12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not empty into drains; dispose of this material and its container in a safe way.

SDS #: 6289.2

SDS #: 6289.2

13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.
14. S	ECTION 14: TRANSPORT INFORMATION	l l
14.1	DOT / TDG / Road/Rail (ADR/RID)	Not classified as hazardous for road transport. Not classified as hazardous for rail transport.
14.2 14.3	Air (ICAO/IATA) Sea (IMDG)	Not classified as hazardous for air transport. Not classified as hazardous for marine transport.
15. S	ECTION 15: REGULATORY INFORMATION	N
15.1	EU regulations REACH Registration No.	Polymer exempt.
	Candidate List of Substances of Very High Concern for Authorisation	Contains: Octamethylcyclotetrasiloxane (CAS# 556-67-2) $0.1 - 0.24\%$ Decamethylcyclopentasiloxane (CAS# 541-02-6) 0.1 - 0.7% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) 0.1 - 0.7%
	Contains:	2-methyl-2H-isothiazol-3-one (CAS# 2682-20-4) 0.004 – 0.005% 1,2-benzisothiazol-3(2H)-one (CAS# 2634-33-5) 0.004 – 0.005%
15.2	International Inventories	Not Polymer

entories			Not	Polymer	
	Country	Listed	listed	exempt	Other
	United States (TSCA)	\checkmark			
	Canada (DSL/NDSL)	DSL√			
	European Union (EINECS/ELINCS)			\checkmark	
	Australia (AICS)	\checkmark			
	China (IECSC)	\checkmark			
	Japan (ENCS)	\checkmark			
	South Korea (KECI)	\checkmark			
	Taiwan (TCSI)	\checkmark			
	New Zealand (NZIoC)	\checkmark			
	Philippines (PICCS)		Х		

15.3 National regulations

Product: Siltech C-4445

United States (TSCA)

HMIS (Hazardous Material Information System) NFPA Rating

15.4 US State Regulations

- **15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM
- **15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules). H = 1 / F = 1 / R = 0

H = 1/F = 1/R = 0

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Specific Listing(s) not required Possible trace amounts of: Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm Specific Listing(s) not required

15.4.3 State Right to Know Lists

Product: Siltech C-4445

SDS #: 6289.2

Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) 0.1 – 0.24% Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: July 07, 2021

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H361f: Suspected of damaging fertility.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.