

SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name

Product code

6289.103

Chemical Name

CAS No.

Siltech C-4435

6289.103

Mixture

Mixture

1.2 Recommended use of the chemical and

restrictions on use

Identified use(s) Additive, Coatings
Uses advised against None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Siltech Corp

225 Wicksteed Ave

Toronto, ON Canada M4H 1G5

 Telephone
 +1-416-424-4567

 Fax
 +1-416-424-3158

 E-Mail (competent person)
 raj@siltech.com

Additional Location Siltech Corp

3265 Wolfedale Road,

Mississauga ON Canada L5C 1V8

Telephone +1-905-270-5534 Fax +1-905-270-5816

1.4 Emergency telephone number

Emergency Phone No. CANUTECH - TELEPHONE: EMERGENCY USE ONLY

+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin corrosion/irritation : 2 Serious eye damage/irritation : 1

Skin sensitization: 1 Reproductive toxicity: 2

2.2 Label elements

Product Name Symbol Siltech C-4435



Signal word(s)

Precautionary statement(s)

Hazard statement(s) H315: Causes skin irritation.

H318: Causes serious eye damage. H317: May cause an allergic skin reaction. H361f: Suspected of damaging fertility.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after

handling.

P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water. P332+P313: If skin irritation occurs: Get medical

advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water

Product: Siltech C-4435 SDS #: 6289.103

for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P403+P233: Store in a well-ventilated place. Keep container

tightly closed.

P501: Dispose of contents/container to: Observe Local

Regulations. None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Other hazards

2.3

					Hazard pictogram(s) and
Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard statement(s)
Alcohols, C12-14-	N/A	5 - 20	84133-50-6	None	GHS05, GHS07
secondary ethoxylated	IN/A			assigned	H302, H315, H318
Octamethylcyclotetra-	D4	0.1 – 0.24	556-67-2	209-136-7	GHS02, GHS08
siloxane					H226, H361f, H410
2-methyl-2H-isothiazol-3- one	MIT	0.004 – 0.005	2682-20-4	220-239-6	GHS09, GHS05, GHS06
					H301, H311, H314, H317,
					H330, H400, H410
1,2-benzisothiazol-3(2H)- one	BIT	0.004 - 0.005	2634-33-5	220-120-9	GHS09, GHS05, GHS07
					H302, H315, H317, H318,
					H400

4. SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove persons affected by vapour to fresh air.

Skin Contact Remove contaminated clothing immediately and wash affected

skin with soap and water.

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water for several minutes.

If swallowed, seek medical advice immediately and show this Ingestion

container or label.

4.2 Most important symptoms and effects, both

acute and delayed

Not available.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

for extinction. Keep containers cool by spraying with water if

exposed to fire.

None known

Unsuitable Extinguishing Media

Special hazards arising from the substance or 5.2

mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

protective equipment as required.

Avoid contact with skin, eyes or clothing. Use personal

emergency procedures 6.2 **Environmental precautions**

Avoid release to the environment.

Revision: 6 Date: 01/11/2021 Page: 2/6

Product: Siltech C-4435 SDS #: 6289.103

6.3 Methods and material for containment and

cleaning up
Reference to other sections

6.4

7.3

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid ingestion. Use

only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of

chemicals are applicable.

Store in a tightly closed container.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials

Specific end use(s)

Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	
SUBSTANCE	CAS No.	ppm)	mg/m³)	(ppm)	(mg/m³)	Note
None known						

8.1.2 Biological limit value Not established

8.1.3 PNECs and DNELs Not established

8.2 Exposure controls

8.2.2

8.2.1 Appropriate engineering controls

Eye/face protection

Personal protection equipment

Wear protective eyewear (goggles, face shield, or safety

Provide adequate ventilation.

glasses).

time)



Skin protection (Hand protection/ Other) Wear protective clothing and gloves: (120 min break thru

In case of inadequate ventilation wear respiratory protection.



Thermal hazards None

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

propertiesAppearanceOpaque LiquidOdourFaint.Odour ThresholdNot available.

pH Not available.

Melting Point/Freezing Point Not available.

Initial boiling point and boiling range Not available.

Flash point (PMCC) >100°C

Revision: 6 Page: 3/6 Date: 01/11/2021

Siltech Corp 225 Wicksteed Ave. Toronto, ON Canada M4H 1G5 1-416-424-4567 www.siltech.com

Product: Siltech C-4435 SDS #: 6289.103

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Relative density / Specific Gravity (25°C)

Not available.

Not available.

0.98

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity (25°C)

Explosive properties

Oxidising properties

Dispersible in water.

Not available.

Not available.

500,000 cps

Not applicable.

Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Will not occur.
 None known.
 Oxidizing agents.

10.6 Hazardous Decomposition Product(s) Silicon Dioxide, carbon oxides, incompletely burned carbon

compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

IngestionMay be harmful if swallowed.InhalationMay be harmful if inhaled.Skin ContactCauses skin irritation.Eye ContactCauses serious eye damage.

Effects and Symptoms

skin corrosion/irritation Repeated and/or prolonged skin contact may cause

irritation

Serious eye damage/irritation May cause irritation to eyes and air passages.

Respiratory or skin sensitization Repeated and/or prolonged contact may cause skin

sensitisation.

Germ cell mutagenicity

Not classified

Not classified

Reproductive toxicity Suspected of damaging fertility.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Delayed and chronic effects
Calculated acute toxicity estimate (ATE)
Not classified
Not available
Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Harmful to aquatic life with long lasting effects.

 12.2
 Persistence and degradability
 Not available.

 12.3
 Bioaccumulative potential
 Not available.

 12.4
 Mobility in soil
 Not available.

 12.5
 Results of PBT and VPVB assessment
 Not available.

 12.6
 Other adverse effects
 None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

3.1 Waste treatment methods Do not empty into drains; dispose of this material and its

container in a safe way.

Product: Siltech C-4435 SDS #: 6289.103

13.2 Additional Information

Dispose of contents in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 DOT / TDG / Road/Rail (ADR/RID) Not classified as hazardous for road transport.

Not classified as hazardous for rail transport.

14.2 Air (ICAO/IATA)
 14.3 Sea (IMDG)
 Not classified as hazardous for air transport.
 Not classified as hazardous for marine transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern Contains:

for Authorisation Octamethylcyclotetrasiloxane (CAS# 556-67-2) 0.1 – 0.24%

Decamethylcyclopentasiloxane (CAS# 541-02-6)

0.1 - 0.7%

Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

0.1 - 0.7%

1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Contains: 2-methyl-2H-isothiazol-3-one (CAS# 2682-20-4)

0.004 - 0.005%

1,2-benzisothiazol-3(2H)-one (CAS# 2634-33-5)

0.004 - 0.005%

15.2 International Inventories

		Not	Polymer	
Country	Listed	listed	exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	DSL√			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)		Х		

15.3 National regulations

United States (TSCA)

TSCA Inventory Status: All chemicals in this product comply

with TSCA rules and regulations including TSCA Section 5

(Inventory Rules).

Specific Listing(s) not required

Specific Listing(s) not required

HMIS (Hazardous Material Information System) H = 1/F = 1/R = 0

NFPA Rating H = 1/F = 1/R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE BIRTH DEFECTS OR Possible trace amounts of:

OTHER REPRODUCTIVE HARM Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF

CALIFORNIA TO CAUSE CANCER Possible trace amounts of:

Ethylene Oxide (CAS# 75-21-8) < 1 ppm

Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

Revision: 6 Page: 5/6 Date: 01/11/2021

Product: Siltech C-4435 SDS #: 6289.103

15.4.3 State Right to Know Lists

Specific Listing(s) not required Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) 0.1 - 0.24%

Ethylene Oxide (CAS# 75-21-8) < 1 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm 1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: November 01, 2021

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PVB Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H315: Causes skin irritation.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H361f: Suspected of damaging fertility.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard pictogram(s) and Hazard Symbol



Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 6 Page: 6/6 Date: 01/11/2021