



SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name **Siltech C-204**
Product code 2872.1
Chemical Name Mixture
CAS No. 68937-54-2 / 34590-94-8
- 1.2 Recommended use of the chemical and restrictions on use**
Identified use(s) Coatings, Surface active agent, Additive
Uses advised against None known
- 1.3 Details of the supplier of the Safety Data Sheet**
Company Identification Siltech Corp
225 Wicksteed Ave
Toronto, ON Canada M4H 1G5
Telephone +1-416-424-4567
Fax +1-416-424-3158
E-Mail (competent person) marsha.carter@siltech.com
- Additional Location Siltech Corp
3265 Wolfedale Road,
Mississauga ON Canada L5C 1V8
Telephone +1-905-270-5534
Fax +1-905-270-5816
- 1.4 Emergency telephone number**
Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY
+1-613-996-6666**

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture** **Flammable Liquid Category 4**
- 2.2 Label elements**
Product Name **Siltech C-204**
Symbol NONE
Signal word(s) Warning
Hazard statement(s) H227: Combustible liquid.
Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to: Observe Local Regulations.
- 2.3 Other hazards** None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

| Hazardous ingredient(s) | Synonym(s) | %W/W | CAS No. | EC No. | Hazard pictogram(s) and Hazard statement(s) |
|----------------------------------|------------|---------|------------|-----------|---|
| (2-methoxymethyl-ethoxy)propanol | DPGME | 45 - 55 | 34590-94-8 | 252-104-2 | H227 |

4. SECTION 4: FIRST AID MEASURES



- 4.1 Description of first aid measures**
- | | |
|--------------|--|
| Inhalation | Remove person to fresh air and keep comfortable for breathing. |
| Skin Contact | Gently wash with plenty of soap and water. |
| Eye Contact | If substance has got into the eyes, immediately wash out with plenty of water for several minutes. |
| Ingestion | Treat symptomatically. |
- 4.2 Most important symptoms and effects, both acute and delayed** Not available.
- 4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Extinguishing Media**
- | | |
|--------------------------------|---|
| Suitable Extinguishing Media | In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire. |
| Unsuitable Extinguishing Media | None known |
- 5.2 Special hazards arising from the substance or mixture** Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
- 5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate all ignition sources if safe to do so.
- 6.2 Environmental precautions** Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up** Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
- 6.4 Reference to other sections** See Section: 7 & 8.




7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
- 7.2 Conditions for safe storage, including any incompatibilities**
- | | |
|---|---------------------------------|
| Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | |
| Storage Temperature | Ambient |
| Storage Life | Stable under normal conditions. |
| Incompatible materials | Oxidizing agents |
- 7.3 Specific end use(s)** Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
- 8.1.1 Occupational Exposure Limits**

| SUBSTANCE | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m ³) | STEL (ppm) | STEL (mg/m ³) | Note |
|-----------|------------|---------------------|------------------------------------|------------|---------------------------|------|
| DPGME | 34590-94-8 | 100 | 600 | 150 | | |

| | |
|---|--|
| 8.1.2 Biological limit value | Not established |
| 8.1.3 PNECs and DNELs | Not established |
| 8.2 Exposure controls | |
| 8.2.1 Appropriate engineering controls | Provide adequate ventilation. |
| 8.2.2 Personal protection equipment | |
| Eye/face protection | Wear protective eyewear (goggles, face shield, or safety glasses). |
|  | |
| Skin protection (Hand protection/ Other) | Wear suitable gloves if prolonged skin contact is likely. Plastic or rubber gloves. |
|  | |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. |
|  | |
| Thermal hazards | Combustible liquid |
| 8.2.3 Environmental Exposure Controls | Avoid release to the environment. |

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---------------------------------|
| 9.1 Information on basic physical and chemical properties | |
| Appearance | Colourless to yellowish liquid. |
| Odour | Characteristic odour. |
| Odour Threshold | Not available. |
| pH | Not available. |
| Melting Point/Freezing Point | Not available. |
| Initial boiling point and boiling range | >100°C @ 760mmHg |
| Flash point (PMCC) | 74°C |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density / Specific Gravity (25°C) | 0.99 |
| Solubility(ies) | Dispersible in water. |
| Partition coefficient: n-octanol/water | Not available. |
| Auto-ignition temperature | 207°C |
| Decomposition Temperature | Not available. |
| Viscosity (25°C) | 20 cps |
| Explosive properties | Not applicable. |
| Oxidising properties | Not applicable. |

10. SECTION 10: STABILITY AND REACTIVITY

| | |
|--|---|
| 10.1 Reactivity | Stable under normal conditions. |
| 10.2 Chemical stability | Stable under normal conditions. |
| 10.3 Possibility of hazardous reactions | Will not occur. |
| 10.4 Conditions to avoid | Keep away from fire, sparks and heated surfaces. |
| 10.5 Incompatible materials | Oxidizing agents. |
| 10.6 Hazardous Decomposition Product(s) | Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde. |

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

| | |
|--------------|---|
| Ingestion | Low toxicity under normal conditions of handling and use. |
| Inhalation | Low toxicity under normal conditions of handling and use. |
| Skin Contact | May cause irritation |
| Eye Contact | May cause irritation |

Effects and Symptoms

| | |
|--|----------------|
| skin corrosion/irritation | Not classified |
| Serious eye damage/irritation | Not classified |
| Respiratory or skin sensitization | Not classified |
| Germ cell mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Not classified |
| STOT - single exposure | Not classified |
| STOT - repeated exposure | Not classified |
| Aspiration hazard | Not classified |
| Delayed and chronic effects | Not available |
| Calculated acute toxicity estimate (ATE) | Not available |

12. SECTION 12: ECOLOGICAL INFORMATION

| | |
|---|----------------|
| 12.1 Toxicity | Not available. |
| 12.2 Persistence and degradability | Not available. |
| 12.3 Bioaccumulative potential | Not available. |
| 12.4 Mobility in soil | Not available. |
| 12.5 Results of PBT and VPVB assessment | Not available. |
| 12.6 Other adverse effects | None known |

13. SECTION 13: DISPOSAL CONSIDERATIONS

| | |
|------------------------------|---|
| 13.1 Waste treatment methods | Do not empty into drains; dispose of this material and its container in a safe way. |
| 13.2 Additional Information | Dispose of contents in accordance with local, state or national legislation. |

14. SECTION 14: TRANSPORT INFORMATION

| | |
|--|---|
| 14.1 Air (ICAO/IATA) | Not classified as hazardous for air transport. |
| 14.2 Sea (IMDG) | Not classified as hazardous for marine transport. |
| 14.3 TDG / Road/Rail (ADR/RID) | Not classified as hazardous for transport. |
| 14.4 DOT / CFR (US Department of Transportation) | (Applicable only to containers > 119 gallons or 450L) |
| UN number | 1993 |
| DOT Proper Shipping Name | Combustible Liquid, N.O.S. (DIPROPYLENE GLYCOL METHYL ETHER Solution) |
| Class | 3 Packing group III |

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

| | |
|---|--|
| REACH Registration No. | Polymer exempt / Not available |
| Candidate List of Substances of Very High Concern for Authorisation | Possible trace amounts of: Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% 1,4-Dioxane (CAS# 123-91-1) < 1 ppm |

15.2 International Inventories

| Country | Listed | Not listed | Polymer exempt | Other |
|--------------------------------|---------|------------|----------------|-------|
| United States (TSCA) | Active✓ | | | |
| Canada (DSL/NDSL) | DSL✓ | | | |
| European Union (EINECS/ELINCS) | ✓ | | ✓ | |
| Australia (AICS) | ✓ | | | |
| China (IECSC) | ✓ | | | |
| Japan (ENCS) | ✓ | | ✓ | |
| South Korea (KECI) | ✓ | | | |
| Taiwan (TCSI) | ✓ | | | |
| New Zealand (NZIoC) | ✓ | | | |
| Philippines (PICCS) | ✓ | | | |
| | | | | |

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)
NFPA Rating

H = 1 / F = 2 / R = 0
H = 1 / F = 2 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 1 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 1 ppm
1,4-Dioxane (CAS# 123-91-1) < 1 ppm

15.4.3 State Right to Know Lists

DPGME (CAS# 34590-94-8) 45 – 55%
Specific Listing(s) not required
Possible trace amounts of:
Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01%
Ethylene Oxide (CAS# 75-21-8) < 1 ppm
1,4-Dioxane (CAS# 123-91-1) < 1 ppm

16. SECTION 16: OTHER INFORMATION

Revision: **April 14, 2023**

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level
PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol

NONE

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.