



SAFETY DATA SHEET


WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name **Silmer G-11-IDD**
Product code 6977.15
Chemical Name Mixture
CAS No. 13475-82-6 / 63394-02-5
Alternative names (INCI) Isododecane (and) Polysilicone 11
- 1.2 Recommended use of the chemical and restrictions on use**
Identified use(s) PC39 Cosmetics, personal care products
Uses advised against None known
- 1.3 Details of the supplier of the Safety Data Sheet**
Company Identification Siltech Corp
225 Wicksteed Ave
Toronto, ON Canada M4H 1G5
Telephone +1-416-424-4567
Fax +1-416-424-3158
E-Mail (competent person) marsha.carter@siltech.com

Additional Location Siltech Corp
3265 Wolfedale Road,
Mississauga ON Canada L5C 1V8
Telephone +1-905-270-5534
Fax +1-905-270-5816
- 1.4 Emergency telephone number**
Emergency Phone No. **CANUTEC - TELEPHONE: EMERGENCY USE ONLY
+1-613-996-6666**

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
Flam. Liq. 3
Aquatic Chronic 4
- 2.2 Label elements**
Product Name **Silmer G-11-IDD**
Symbol 
- Signal word(s) **Warning**
Hazard statement(s) H226: Flammable liquid and vapour.
H413: May cause long lasting harmful effects to aquatic life.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240: Ground and bond container and receiving equipment.
P241: Use explosion-proof electrical equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P235: Store in a well-ventilated place. Keep cool.

Precautionary statement(s)

P501: Dispose of contents/container to: Observe Local Regulations.

2.3 Other hazards

None known.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2,2,4,6,6-pentamethylheptane	Isododecane	80 - 90	13475-82-6	236-757-0	GHS02, GHS08 H226 , H304, H413

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media

None known

5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate sources of ignition.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Ground/bond container and

- 7.2 **Conditions for safe storage, including any incompatibilities**
- Storage Temperature
Storage Life
Incompatible materials
- 7.3 **Specific end use(s)**
- receiving equipment. Wash thoroughly after handling.
General hygiene measures for the handling of chemicals are applicable.
Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
Ambient
Stable under normal conditions.
Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
None assigned						

8.1.2 Biological limit value

Not established

8.1.3 PNECs and DNELs

Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Wear protective clothing and gloves: Impervious gloves (EN 374).

Respiratory protection



Wear suitable respiratory protection. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards

Flammable liquid

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Colourless liquid.

Odour

Characteristic odour.

Odour Threshold

Not available.

pH

Not available.

Melting Point/Freezing Point

Not available.

Initial boiling point and boiling range

>100°C @ 760mmHg

Flash point (PMCC)

45°C

Evaporation rate

< 1

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Not available.

Vapour pressure

Not available.

Vapour density

Not available.

Relative density / Specific Gravity (25°C)

Not available.

Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	500,000 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity	
Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled.
Skin Contact	May cause irritation.
Eye Contact	May cause irritation.
Effects and Symptoms	
skin corrosion/irritation	Repeated and/or prolonged skin contact may cause irritation.
Serious eye damage/irritation	Not classified.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	May be harmful if swallowed and enters airways.
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	May cause long lasting harmful effects to aquatic life.
12.2 Persistence and degradability	Not available.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.
12.5 Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2 Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	2286
14.2	UN proper shipping name	Pentamethylheptane Solution
14.3	Transport hazard class(es)	3
14.4	Packing group	III



15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

Candidate List of Substances of Very High Concern for Authorisation

Possible trace amounts of:

Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.1%
Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1%
Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%
Octamethyltrisiloxane (CAS# 107-51-7) < 0.1%
Decamethyltetrasiloxane (CAS# 141-62-8) < 0.1%

15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)		X		
Canada (DSL/NDL)	DSL✓			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)	✓			
China (IECSC)		X		
Japan (ENCS)		X		
South Korea (KECI)		X		
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)
HMIS (Hazardous Material Information System)
NFPA Rating

Personal care exempt
H = 1 / F = 2 / R = 0
H = 1 / F = 2 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

None known.

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

None known.

15.4.3 State Right to Know Lists

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

16. SECTION 16: OTHER INFORMATION

Revision: **July 22, 2025**

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration

PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

H413: May cause long lasting harmful effects to aquatic life.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



GHS02

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.