



SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Silstab 2450
Product code	2702
Chemical Name	Mixture
CAS No.	68937-55-3 / 127087-87-0

1.2 Recommended use of the chemical and restrictions on use

Identified use(s)	Foaming or blowing agent , Foam
Uses advised against	None known

1.3 Details of the supplier of the Safety Data Sheet

Company Identification

Siltech Corp
225 Wicksteed Ave
Toronto, ON Canada M4H 1G5
+1-416-424-4567
+1-416-424-3158
marsha.carter@siltech.com

Telephone

Fax

E-Mail (competent person)

Additional Location

Siltech Corp
3265 Wolfedale Road,
Mississauga ON Canada L5C 1V8
+1-905-270-5534
+1-905-270-5816

Telephone

Fax

1.4 Emergency telephone number

Emergency Phone No.

CANUTEC - TELEPHONE: EMERGENCY USE ONLY
+1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Acute Tox. 4 - Oral
Acute Tox. 4 - Inhalation
Skin Irrit. 2
Eye Dam. 1
Aquatic Acute 1
Aquatic Chronic 1

2.2 Label elements

Product Name
Symbol

Silstab 2450



Signal word(s)

Hazard statement(s)

DANGER

H302+H332: Harmful if swallowed or if inhaled

H315: Causes skin irritation.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement(s)

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P501: Dispose of contents/container to: Observe Local Regulations.
None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched	Polyethylene glycol mono (branched p-nonylphenyl) ether	45 - 55	127087-87-0	932-098-4	GHS05, GHS07, GHS09 H302, H332, H315, H318, H400, H410
Poly(oxy-1,2-ethanediyl), .alpha.-(dinonylphenyl)-.omega.-hydroxy-	Dinonylphenyl polyoxyethylene >14 EO	0.5 – 2.5	9014-93-1	618-488-4	GHS07 : H319

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation develops and persists, get medical attention.

Eye Contact

If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Get medical attention immediately.

Ingestion

If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. Causes serious eye damage. Harmful by inhalation and if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if

- Unsuitable Extinguishing Media exposed to fire.
Do not use water jet.
- 5.2 Special hazards arising from the substance or mixture** Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.
- 5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- 6.2 Environmental precautions** Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up** Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
- 6.4 Reference to other sections** See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
- 7.2 Conditions for safe storage, including any incompatibilities** Store in a tightly closed container.
- Storage Temperature Ambient
Storage Life Stable under normal conditions.
Incompatible materials Oxidizing agents
- 7.3 Specific end use(s)** Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
- 8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
None assigned						

- 8.1.2 Biological limit value** Not established
- 8.1.3 PNECs and DNELs** Not established
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Ensure adequate ventilation to remove vapours, fumes, dust etc.
- 8.2.2 Personal protection equipment**
- Eye/face protection  Wear protective eyewear (goggles, face shield, or safety glasses).
- Skin protection (Hand protection/ Other)  Wear suitable protective clothing and gloves. Impervious gloves (EN 374).
- Respiratory protection  Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved.
- Thermal hazards  None.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Colourless to yellowish liquid.
Odour	Perceptible odour.
Odour Threshold	Not available.
pH	Not available.
Melting Point/Freezing Point	Not available.
Initial boiling point and boiling range	>100°C @ 760mmHg
Flash point (PMCC)	>100°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density / Specific Gravity (25°C)	1.04
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	1000 – 2000 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Skin Contact	Will cause skin irritation.
Eye Contact	Causes serious eye damage.

Effects and Symptoms

skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Very toxic to aquatic life with long lasting effects.
12.2 Persistence and degradability	Not available.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.
12.5 Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2 Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (NONYLPHENOL POLYETHYLENE GLYCOL ETHER)
14.3 Class	9 Packing group III



15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations	
REACH Registration No.	Polymer exempt.
Candidate List of Substances of Very High Concern for Authorisation	Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0) 45 – 55% Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.01% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% 1,4-Dioxane (CAS# 123-91-1) < 10 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm
ANNEX XVII (restricted)	Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0)
PIC (export restriction)	Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0)

15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	Active✓			
Canada (DSL/NDL)	DSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓		✓	
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5

HMIS (Hazardous Material Information System) (Inventory Rules).
NFPA Rating **H = 2 / F = 1 / R = 0**
H = 2 / F = 1 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 10 ppm

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 10 ppm
Propylene Oxide (CAS# 75-56-9) < 1 ppm
1,4-Dioxane (CAS# 123-91-1) < 10 ppm

15.4.3 State Right to Know Lists

Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0) 45 – 55%
Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01%
Ethylene Oxide (CAS# 75-21-8) < 10 ppm
Propylene Oxide (CAS# 75-56-9) < 1 ppm
1,4-Dioxane (CAS# 123-91-1) < 10 ppm

16. SECTION 16: OTHER INFORMATION

Revision: **November 24, 2025**

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H302+H332: Harmful if swallowed or if inhaled

H315: Causes skin irritation.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



GHS05

GHS07

GHS09

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.